

MAHARASHTRA POLLUTION CONTROL BOARD			
Phone :	(022)- 25505928		Kalpataru Point, 1 st floor, Sion-
Fax :	(022)- 25505926		Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),
Email :	romumbai@mpcb.gov.in		Mumbai - 400 022
Visit At :	http://mpcb.gov.in		

"Your Service is our Duty"

No: MPCB/CD/231211 0002

Date: -11/12/2023

To,
To,
M/s. APCO Infratech Pvt. Ltd.,
CTS NO. 792A, Opposite MSRDC Office,
K.C. Marg, Bandra (West),
Mumbai-400 050

Sub: Closure Directions under Section 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 31 (A) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. Consent to operate granted by Board is valid up to 31/10/2025.
2. Board official visited your plant on 01/11/2023 for verification of compliance
3. Office Note approved by competent authority dated 08/12/2023

WHEREAS, the Maharashtra Pollution Control Board has granted Consent to Operate u/s 26 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016, on 29/11/2022, which is valid upto 31/10/2025 subject to certain terms and conditions.

AND WHEREAS, it was also obligatory on your part to provide adequate and efficient pollution control devices and take adequate measures to control air & water pollution, so as to achieve the consented standards.

AND WHEREAS, Board officials visited your site on 01/11/2023 at M/s. APCO Infratech Pvt. Ltd., CTS NO. 792A, Opposite MSRDC Office, K.C. Marg, Bandra (West), Mumbai-400 050 & reported as under;

1. Board has granted consent to operate with condition that Operation of RMC plant shall be in daytime only. The Day time is reckoned in between 6 a.m. and 10 p.m. i.e. from sun rise to sunset However, as per Movement Register, it is observed that RMC plant was operating during night time.
2. You have not provided Industrial vacuum cleaner for daily cleaning/removal of dust accumulation inside the plant

3. You have not provided two level tyre washing facility.
4. You have not provided mechanical closed system for handling of cement, sand and fly ash to aggregate / charging point. Dust emissions observed.
5. You have not provided interlock system to an air pollution control devices.
6. You have not submitted BG of Rs. 1,00,000/- as per consent condition.

AND WHEREAS, it has been observed that you have failed to comply with the consent conditions and also failed to provide adequate pollution control devices and thereby contributing to deterioration of ambient air quality of nearby area.

NOW THEREFORE, in view of the above non-compliances, you are hereby directed to stop your manufacturing activities forthwith, failing which, the Board will have no option than to initiate appropriate legal action under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981.

This direction is issued with approval of competent authority of the Board.

FOR & ON THE BEHALF OF MPC BOARD


(S.R. Bhosale)

Regional Officer, Mumbai

Copy submitted to:

- 1) Law Officer/Asst. Secretary (Tech.), MPCB, Mumbai.

Adani Electricity/Tata Power Company/BEST/MSEB. -He is directed to disconnect electric supply of M/s. APCO Infratech Pvt. Ltd., CTS NO. 792A, Opposite MSRDC Office, K.C. Marg, Bandra (West), Mumbai-400 050

- 2) Asst. Commissioner, 'H West' Ward, MCGM, Mumbai-He is directed to disconnect the water supply of the unit of M/s. APCO Infratech Pvt. Ltd., CTS NO. 792A, Opposite MSRDC Office, K.C. Marg, Bandra (West), Mumbai-400 050.

- 3) Sub-Regional Officer (Mumbai-II), M.P.C. Board. - He is directed to ensure that above direction is served to the industry & all concerned and take necessary follow-up towards compliance of the direction & submit Action taken report.