

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212

Fax No. (0251) 2310192

Visit us on: <http://mpcb.gov.in>

E-mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West)-421 301.

No. MPCB/ID/ **2406130003**
Email / Hand Delivery / RPAD

Date :- **13 / 06 / 2024**

To,
M/s. Siddhivinayak Enterprises
Sr.No-93/10, Vill. Dapode,
Tal-Bhiwandi, Dist-Thane.

Sub: Interim Directions under section 33A of the Water (Prevention & Control of pollution) Act 1974 & under Section 31A of the Air (Prevention & Control of Pollution) Act,1981.

Ref :- 1) Proposed Directions issued vide dtd. 11/06/2024.
2) Personal hearing extended on 13/06/2024.

This refers to the Proposed Directions issued by Board vide above reference cited at 1 and personal hearing extended to the industry vide above reference cited at 2. During the course of personal hearing as aggred by unit representative, following directions are issued.

- 1) The unit shall cover loading section, unloading section, conveyor belt and mixing section from all sides by GI / MS Sheets within 7 days.
- 2) The unit shall operate air pollution control system provided to silos continuously and effectively.
- 3) The unit shall provide compound wall of 20 feet height along the periphery within 7 days.
- 4) The unit shall provide and operate water sprinkling system at loading section, unloading section, conveyor belt, mixing section and raw material storage area within 7 days.
- 5) The unit shall provide and operate water fogging system in the entire premises within 7 days.
- 6) The unit shall provide closed and impervious storage facility for raw material within 7 days.
- 7) The unit shall carry concreting in the entire premises within 7 days.
- 8) The unit shall provide two tyre washing system and ETP with water recirculation within 7 days.
- 9) The unit shall take all necessary measures for avoiding dust spreading due to movement of vehicle and operation of RMC Plant.
- 10) The unit shall provide continuous ambient air quality monitoring station (CAAQMS) within 7 days.
- 11) The unit shall carry thick planation of tall trees along the periphery within 7 days.
- 12) The unit shall furnish bank guarantee of Rs. 25000/- as per consent conditions within 7 days which will be forfeited for non-compliances of consent conditions.
- 13) The unit shall stop operation of RMC plant voluntarily till the compliance of above points immediately.
- 14) The unit shall furnish bank guarantee of Rs. 1.0 Lakh towards compliance of above directions in time bound manner within 7 days.

In case of failure to comply with the above directions, Board will intiate further legal action against the industry it may be stoppage of production and foreifture of bank guarantee, which may be noted.


Dr. R. A. Rajput
Regional Officer, Kalyan

Copy submitted for information to:
Regional Officer (BMW), MPC Board, Sion, Mumbai.

Copy to: Sub-Regional Officer, MPC Board, Bhiwandi – It is directed to submit compliance report along with monitoring report in time bound manner.