


MAHARASHTRA POLLUTION CONTROL BOARD		
Phone :	(022)- 25505928	
Fax :	(022)- 25505926	
Email :	romumbai@mpcb.gov.in	
Visit At :	http://mpcb.gov.in	
		Kalpataru Point, 1 st floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

"Your Service is our Duty"

No: MPCB/ROM/PD/TB - 2206270005

Date: 27 /06/2022

To,
 M/s. Rajabhai Hirabhai Kaner
 Unit No. 124, Vaishali Industrial Estate,
 Arch-II, Mhatra Wadi,
 Dahisar (W), Mumbai – 400 068.

Sub: Proposed directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 31A of the Air (Prevention & Control of Pollution) Act, 1981

Ref: 1. Consent to operate granted by Board is valid up to 31/10/2025.
 2. Complaint received against your industry
 3. Board official visited on 15/06/2022
 4. Legal proposal submitted by SRO M-IV on 21/06/2022

...

WHEREAS, the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 are applicable to the State of Maharashtra as declared in official gazette.

AND WHEREAS, it is obligatory on your part to obtain Consent from the M. P. C. Board. AND, it is also obligatory on your part to provide adequate Water & Air pollution control arrangements so as achieve the prescribed standards under the Environment Act & Rules and not to cause nuisance of pollution in the surrounding area.

AND WHEREAS, complaint was received against your industry & Board officials visited your industry vide reference 2 above & reported following non-compliance;

1. You have not provided adequate air pollution control system as compact scrubber body with scrubber tank placed at loft (cannot be monitored & operated). The yellowish Sulphuric / Nitric acid fumes are being discharged into environment & creating nuisance to nearby residents.
2. You have not provided effluent treatment plant.
 You have not obtained CHWTSDF Membership for disposal of Hazardous waste.


AND WHEREAS, this shows your negligent attitude towards compliance of provision of environmental enactments.

NOW THEREFORE, in exercise of the power confirmed by the Board upon me u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 & u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981 following proposed direction are issued against your unit as to –

- 1) Why your existing activity shall not be closed down?
- 2) Why the competent authorities shall not be directed to disconnect water & electricity supply for closing down activity.
- 3) Why legal action shall not be initiated against your activity for violations of above Consent conditions

Your reply shall reach this office from the receipt of these directions within a period of 7 days, failing which, appropriate action will be initiated against your industry, which please note.

For and on behalf of
Maharashtra Pollution Control Board


(S. R. Bhosale)

Regional Officer, Mumbai

Copy submitted to:-

1. Asst. Secretary (Tech.), MPC Board, Sion, Mumbai – for information.

Copy to:

- 1) Sub Regional Officer, MPC Board, Mumbai -IV
- He is directed to serve copy of direction to industry, take necessary follow-up towards compliance of the direction and submit Action taken report.
- 2) Master File.