

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel. : (0240) 2473461 / 62 / 63  
Email : roaurangabad@mpcb.gov.in  
sroaurangabad1@mpcb.gov.in



**Regional Office :**  
Paryavaran Bhavan,  
Plot No. A - 4/1, MIDC, Chikalthana,  
Near Dhoot Hospital, Jalna Road,  
Aurangabad - 431 210.

**By FAX/R.P.A.D./HAND DELIVERY:**

No. MPCB/ROA/PD/ /2019  
1909120002

Date:- 12/09/2019

To,

M/s. Clad Metal India Pvt. Ltd.,  
Plot No. F-13 & 14, MIDC Area, Waluj,  
Dist: Aurangabad.

**Sub :- Proposed Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.**

- Ref:- 1) Consent to Operate granted by the Board.  
2) Visit of Board Officer to your unit on 13/08/2019.  
5) Reports received through Legal Action Module.

WHEREAS, it is obligatory on your part to comply with the conditions of the Consent to Operate granted by the Board to your unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous & Other Wastes (Management & Trans-Boundary Movement) Rules, 2016. AND WHEREAS, it is also obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986 and to avoid any sort of pollution problem in the surrounding area.

AND WHEREAS, the Board Officer visited your unit on 13/08/2019 for checking compliance of Consent conditions and reported that you have not made available the record pertaining to disposal of effluent to CETP, copies of membership of CHWTSDF & CETP, copies of manifest pertaining to disposal of hazardous waste., MIDC water bills, etc.

AND WHEREAS, you have not installed the display board at entrance gate of your unit.

AND WHEREAS, you have not provided sewage effluent treatment plant for the treatment of domestic effluent generated from your unit.

: 2 :

AND WHEREAS, you have not provided scientific facility for the storage of hazardous waste generated from your unit.

Thus, you are not serious about the pollution control and violating the provisions of the above said enactments and also damaging the surrounding environment knowingly and willfully.

AND WHEREAS, from the record of your case and observations made by the Board Officer during the visit to your unit on 13/08/2019, I am satisfied that you have not made available the record of your unit during the visit and also not provided sewage effluent treatment plant thereby violated the Consent conditions as well as provisions of various environmental enactments and damaging the surrounding environment knowingly and willfully.

NOW, THEREFORE, in exercise of the powers conferred upon me under Section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981, I, Anil Dnyandeo Mohekar, the Regional Officer of the Board at Aurangabad, hereby issue directions as under –

1. Why your industry shall not be directed to close down its manufacturing activity forthwith?
2. Why the competent authority shall not be directed to disconnect water/electricity supply of your unit?

You shall submit your reply/objections within a period of fifteen days from the date of receipt of these directions, failing which the Board shall consider to issue appropriate final directions, as may deem fit in your case, which may be noted.



(A.D. Mohekar)

Regional Officer-Aurangabad.

Copy submitted to :-

1. The Joint Director (APC), MPCB, Mumbai.
2. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy for information and necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Aurangabad for information and to report compliance accordingly.

Copy to Master File, MPCB, Aurangabad.