

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952, 2660448 Fax No. (0231) 2652952. E-mail: <u>rokolhapur@mpcb.gov.in</u>	 "Your Service is Our Duty"	Udyog Bhavan, Near Collector Office, Kolhapur - 416 003. Website: <u>http://mpcb.mah.nic.in</u>
---	---	--

No. MPCB/ROKP/PD/ 2502060001

Date: 06/02/2025

To,
M/s. Ramdev Enterprises,
Plot No. 138, A/p-Uchgaon,
Tal. Karveer, Dist. Kolhapur.

Sub: Proposed Directions under section 33 A of Water (Prevention & Control of Pollution) Act, 1974 and under section 31A of Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. Complaint received from Shri Raju Yadav.
2. Visit of Board Officials on 21.01.2025.
3. Legal Action Proposal submitted by SRO Kolhapur vide no MPCB-LEGAL_ACTIONS-220125039 on 03.02.2025.

.....
WHEREAS, it is mandatory on the part of industry to obtain Consent to Establish/Operate from Maharashtra Pollution Control Board u/s 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016.

AND WHEREAS, it is obligatory on the part of industry to provide & operate adequate pollution control devices so as not to cause any sort of pollution problem in the surrounding area and to achieve consented standards.

AND WHEREAS, the Board Official visited the unit on 21.01.2025 for verification of compliance of various environmental enactments.

AND WHEREAS, SRO Kolhapur has submitted proposal for legal action against your industry for operating the industry without obtaining consent from Maharashtra Pollution Control Board.


AND WHEREAS, it is noticed that the industry has failed to comply with the provisions of various environmental enactments knowingly & wilfully.

NOW THEREFORE, in view of the above non-compliance, you are hereby directed to show cause as to:

1. Why your industrial activities shall not be closed down?
2. Why the competent Authorities shall not be directed to disconnect water / electricity supply to your unit?

MANASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR

You are hereby given an opportunity to respond within 7 days from issuance of these directions, failing which, MPCB will initiate legal action against your unit without giving any further notice in accordance with the provisions of the Water (prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, which may be noted.


(J. S. Hajare)
Regional Officer, Kolhapur

Copy submitted to: Joint Director (APC) MPCB, Mumbai.

Copy to: Sub Regional Officer MPCB Kolhapur - It is directed to serve the said directions to industry & report accordingly.