

MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272		Regional Office, Thane
Fax : 25805398		5 th Floor, Office Complex Bldg.,
Website: http://mpcb.gov.in		Near Mulund Check Naka,
E-mail Id: rothane@mpcb.gov.in		Wagale Estate, Thane-400 604.

No. MPCB/ROT/PD/ 1909160003

Date : 16/09/2019

To

M/s. Micro Screw Mfg. Co. Pvt. Ltd.,
4, Kala Silk Mill compound, Kashigaon,
Post. Mira, Dist. Thane

Sub: Proposed Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and/or u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981 and read with Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016

Ref: - 1) Consent granted by Board
2) Board officials visit to your unit dt. 01/08/2019.
3) Action proposal submitted by Sub-Regional Officer, Thane-II vide Legal Unique No. MPCB-LEGAL_ACTIONS-290819002, dt. 30/08/2019.

WHEREAS, you are operating your industry in Water & Air pollution prevention area declared under Water (P & CP) Act, 1974 Air (P & CP) Act, 1981 and Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016. AND WHEREAS, Board has granted consent to your industry subject to certain terms & conditions therein for necessary compliances.

AND WHEREAS, it is obligatory on your part to comply those conditions and provide necessary water & air pollution control devices and operate them continuously and efficiently so as to meet the standards prescribed by the Board at all times. Also comply with the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Sub-Regional Officer, M.P.C.B. Thane-II visited to your unit dtd. 01/08/2019 and reported following:

- 1) You are engaged in mfg. of Ball, screw & nuts with plating activity.
- 2) During visit ETP not in operation & discharging untreated effluent in to local body drain directly.
- 3) You have not provided fumes extraction system to the hardening & quenching section.
- 4) You have not submitted the details of waste oil disposal.


AND WHEREAS, the above fact shows gross violation of consent conditions and clearly indicates your negligent attitude towards aspect of pollution control and Environment protection.

NOW THEREFORE, in exercise of the powers conferred upon me by the Board under section 33A of the Water (P & CP) Act, 1974 and under section 31 of the Air (P & CP) Act, 1981, I, hereby direct you as follows:

- a. Why your industry shall not be directed to close down its manufacturing activity forthwith?
- b. Why the competent authority shall not be directed to disconnect water / electricity supply to your units?
- c. Why legal action shall not be initiated against you for violation of the provisions of the aforementioned Acts?

: 2:

You shall remain present for personal hearing dtd. 23/09/2019 at 12:00 hrs above address along with reply to this direction and documents you want to rely upon, failing in which legal action will be initiated which may result in closure of your unit, which please note.


(D. B. Patil)

Regional Officer, Thane

Copy submitted to :

Principal Scientific Officer, MPC Board, Sion, Mumbai-22.

Copy to:-

Sub-Regional Officer, M.P.C. Board, Thane-II - He is directed to serve these directions to industry & attend the hearing with relevant details & inform the concerns immediately.

Master file.