

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952.
E-mail:
rokolhapur@mpcb.gov.in



"Your Service is Our Duty"

Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website:
<http://mpcb.mah.nic.in>

No. MPCB/RO/KOP/ 2404230003

Date: 23/04/2024

To,

M/s. Nandadeep Chemicals Pvt. Ltd.,
Plot No.B -43 , MIDC Lote Parshuram,
Tal: - Khed , Dist:- - Ratnagiri.

Sub: Proposed Directions under section 33 A of Water (Prevention & Control of Pollution) Act, 1974 and/or under section 31A of Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. As per the Office Order No. 0349 / 2024 on 15.04.2024 the 02 Nos of FO's appointed for survey in MIDC Lote Parshuram area.
2. Visit of Board officials to your unit on 15/04/2024.

.....
WHEREAS, it is obligatory on your part to obtain Consent to Establish and Consent to Operate from the Maharashtra Pollution Control Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under the provisions of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016. It is also obligatory on your part to provide adequate pollution control devices.

AND WHEREAS, Board officials has carried out Survey of MIDC Lote Parshuram area on 15/04/2024 and during visit following non- compliance of consent conditions were observed: -

- 1). Board has issued Consent to Operate dtd.,22.02.2021 for Products TRIACETIN, PARA TOLUENE SULPHURIC ACID, PARA TOLUENE SULPHURIC ACID SOLUTION (70% AND 58%) and during visit it was observed that, commercial manufacturing activity was not found in operation.
- 2). You have provided wood based one Boiler with (1TPH capacity), as air pollution control measure dust collector is provided. Sampling arrangement is unscientific. i.e. provision made of port, platform and ladder found unscientific / incorrect.
- 3). You have stored Sulphuric acid in a storage tank of 15 KL capacity. Additional storage tank / substitute tank is not provided. Safety measures are not followed.
- 4). You have not provided display Board near the entrance gate as per Consent condition.
- 5). You have not provided sampling arrangement i.e. not provided port, platform and ladder to stack. Hazardous waste / Chemical Drums found stored in open area in scattered condition. Separate storage arrangement / room / area is not provided.
- 6). You have provided Effluent Treatment Plant is provided (E.T.P.) i.e. Primary treatment which is found dry. Also, the actual ETP treatment is not found in operation, flexible Pipes are observed within the factory area, near ETP area which indicates that there is a possibility of discharge of untreated effluent.

- 7). You have provided D. G. Set of 200 KVA and 62.5 KVA, However, you have not made provision of stack of adequate height and sampling arrangement.
- 8). You have not maintained record such as Consent to Establish / Operate, Environment Statement (form V), hazardous Waste Annual Returns, Manifest Copies, Bank Guarantee copies, MIDC Water Bills etc
- 9). During visit of Board officials' spillages of chemical observed within the premises, also you have not developed Green belt within premises.

AND WHEREAS it has been observed that you are operating your manufacturing activities without obtaining consent from the Board and also failed to provide adequate pollution control devices, thereby discharging untreated effluent into the environment and thereby causing water/air pollution into the environment, affecting health of citizens.

NOW THEREFORE, in view of the above non-compliance, you are hereby directed to show cause as to:

- a) Why your industrial activities shall not be closed down forthwith?
- b) Why the competent Authorities shall not be directed to disconnect water / electricity supply to your unit?

You are hereby given an opportunity to respond within 15 days from issuance of these directions, failing which, MPCB will initiate legal action against your unit without giving any further notice in accordance with the provisions of the Water (prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, which please note.



(J.S. Salunkhe)
Regional Officer
M.P.C.B. Kolhapur

Copy submitted for information to: The Member Secretary, MPCB, Mumbai

Copy f.w. cs.to:- Joint Director (APC) M.P.C.B. Mumbai./Law Officer (P & L Division), MPCB, Mumbai

Copy to: The Sub Regional Officer, MPCB Chiplun: - He is directed to take follow up and ensure the compliance of the aforesaid directions

