


MAHARASHTRA POLLUTION CONTROL BOARD		
Phone :	(022)- 25505928	
Fax :	(022)- 25505926	
Email :	romumbai@mpcb.gov.in	
Visit At :	http://mpcb.gov.in	
		Kalpataru Point, 1 st floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

"Your Service is our Duty"

No: MPCB/CD - 23112/6003
 To,
 M/s. K. N. Dyers
 Gala No 14/B/A, New India Market, opp.
 Rahmani Hotel, Kherani Road, Mumbai-400072.

Date: 21/11/2023

Sub: - Closure Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and/or u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Complaint received against your industry
 2. Board Official visited on 28/11/2022 to your industry
 3. Show cause Notice issued by Board on 16/01/2023
 4. Proposed direction on 13/04/2023
 5. Office Note approved by competent authority dated 17/11/2023

...

WHEREAS, it is obligatory on your part to obtain Consent to Establish and Consent to Operate from the Maharashtra Pollution Control Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under the provisions of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016. It is also obligatory on your part to provide adequate pollution control devices.

AND WHEREAS, complaint was received against your industry. In order to verify the complaint or news, the officials of the Board at SRO Mumbai-II have visited the site at **M/s. K. N. Dyers, Gala No 14/B/A, New India Market, opp. Rahmani Hotel, Kherani Road, Mumbai-400072** on 28/11/2022 and observed as follows:

1. You have engaged in laundry activities & you have not obtained Consent to establish/operate from MPC Board.
2. You have not provided Effluent treatment plant & untreated effluent is being discharged into environment.
3. You have not obtained membership of CHWTSDf for scientific disposal of Hazardous waste.
4. You have not obtained local body NOC from Competent Authority.


AND WHEREAS, Board has issued Proposed direction on 13/04/2023, in spite of giving sufficient opportunity, you have failed to submit the reply of the same. Which showing negligence attitude towards environment.

AND WHEREAS, after examining the record of your case, the reports of the officers of the Board, it has been observed that you are operating your unit without obtaining consent from the Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 and adequate pollution control devices, thereby pollution in the surrounding area.

NOW THEREFORE, in view of the above non-compliances, you are hereby directed to stop your manufacturing activities forthwith, failing which, the Board will have no option than to initiate appropriate legal action under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981.

This direction is issued with approval of competent authority of the Board.

For and on behalf of
Maharashtra Pollution Control Board


(S. R. Bhosale)
Regional Officer, Mumbai

Copy submitted for information :-

1. The Member Secretary, MPCB, Sion, Mumbai – for favour of information.
2. Joint Director (APC) MPCB, Sion, Mumbai – for information.
3. Regional Officer (BMW) MPCB, Sion, Mumbai – for information
4. Law Officer MPCB, Mumbai.

Copy to:

1. Adani Electricity -He is directed to disconnect electric supply of M/s. K. N. Dyers Gala No 14/B/A, New India Market, opp. Rahmani Hotel, Kherani Road, Mumbai-400072
2. Asst. Commissioner, 'L' Ward, MCGM, Mumbai-He is directed to disconnect the water supply of the unit of M/s. K. N. Dyers Gala No 14/B/A, New India Market, opp. Rahmani Hotel, Kherani Road, Mumbai-400072.
3. Sub-Regional Officer (Mumbai-II), M.P.C. Board. - He is directed to ensure that above direction is served to the industry & all concerned and take necessary follow-up towards compliance of the direction & submit Action taken report.