

MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office, Kalyan

Tel: (0251) 2310167/2310212

Fax: (0251) 2310192

Website: <http://mpcb.mah.nic.in>

E-mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

No. MPCB/ID/TB- 337

Date: 28/02/2024

To,
M/s. Dabir Precitech Pvt. Ltd.,
Plot No. F-60, Engineering Zone,
Addl. Ambernath Indl. Area,
Tal.- Ambernath, Dist.-Thane.


Sub: Interim Directions under section 33A of the Water (Prevention & Control of pollution) Act 1974 & under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:-** 1) Enforcement Policy Published by the Board vide dtd. 29/02/2016.
2) Consent to operate granted by Board vide dtd.03/03/2018, valid upto 31/12/2027.
3) Visit of Board officials to your unit on 22/11/2023.
4) Proposed Directions issued by the Board vide 01/02/2024.
5) Personal hearing extended on dtd.15/02/2024.
6) Proposal received from Sub-Regional Officer, Kalyan-II having No. 221223005.

During the course of personal hearing extended to you on dtd.15/02/2024, Non-compliances with respect to the consent conditions were discussed. Considering your assurance made during the course of hearing, following directions are issued for immediate compliances,

- 1) You shall provide stack to the scrubber with adequate capacity of hood and same shall be attached to induction furnace.
- 2) You shall provide fume extraction system with scrubber to induction furnace within 15 days.
- 3) You shall provide stack to the dust collector of shot blasting machine within 15 days.
- 4) You shall provide a dust collection system to grinding and finishing section within 15 days.
- 5) You shall operate and maintain Air Pollution Control System round a clock to achieve consented standard.
- 6) Existing Bank Guarantee of Rs. 50,000/- is forfeited and same shall be top up with double BG of Rs. 1,00,000/-.
- 7) In case, failure of any pollution control system, you shall voluntarily suspend the related manufacturing activity and report to the Board, immediately.

In case of your failure to comply with the above directions, Board will proceed against you as per the provisions of the Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981, Which may please be noted.


Dr. R. A. Rajput
Regional Officer, Kalyan

Copy submitted for information to:
Regional Officer (BMW), MPC Board, Mumbai – for information.

Copy to:

- 1) Sub-Regional Officer, MPC Board, Kalyan-II – You shall carryout regular monitoring of industry & submit report w.r.t. Consent Condition/Direction/Bank Guarantee and their compliances.
- 2) Master file.