


MAHARASHTRA POLLUTION CONTROL BOARD			
Phone :	(022)- 25505928		Kalpataru Point, 1 st floor, Sion-
Fax :	(022)- 25505926		Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),
Email :	romumbai@mpcb.gov.in		Mumbai - 400 022
Visit At :	http://mpcb.gov.in		

"Your Service is our Duty"

Date: 11 /08/2022

No: MPCB/ROM/ ID - 2208110001

To

✓ M/s. Speco Infrastructure
Plot Bearing CTS nO. 7595,7596,7587,
Kooka Estate, Bail Bazar,
Village Kolekalyan, Mumbai

Sub: Interim Directions under the provisions of the Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Hazardous & Other Waste (M & TM) Rules, 2016.

Ref: 1. Consent to operate granted by Board is valid up to 31/12/2025.
2. Complaint received against your industry regarding air pollution.
3. Board official visited on 14/03/2022
4. Proposed Directions issued vide dated 28/03/2022.
5. Industry submitted the reply on 04/04/2022
6. Proposal submitted by SROM-2 on dated 27/06/2022
7. Personal Hearing extended vide dated 10/06/2022

We refer to the proposed direction issued by Board vide letter dated 28/03/2022 due to non-compliance observed. You have submitted reply of Proposed Direction issued by the Board and Sub Regional Officer, Mumbai II visited your site and verified & submitted compliance report.

Considering the say submitted by you during the personal hearing & status report submitted by SRO Mumbai-II following interim directions are issued.

1. Industry shall operate water Sprinkles/fogger system continuously during operation of the plant to avoid any air pollution nuisance in the vicinity.
2. Industry shall operate industrial vacuum cleaner for daily cleaning as per consent condition.
3. Industry shall operate air pollution control system near mixing section of cement aggregate.
4. Industry shall operate effluent treatment plant continuously during operation of the plant.
5. Industry shall operate pollution control system continuously and efficiently to achieve the consented norms.
6. Industry shall continuously operate CAAQMS system provided by you & same is connect to MPCB Server within 15 days period.
7. Industry shall submit additional Bank Guarantee of Rs. 50,000 within 7 days period from the date of receipt of this direction,

In case of your failure to comply with the above directions within 15 days, Board will proceed against you as per provision of Water (P & C P) Act, 1974 and Air (P C & C P) Act, 1981 & Hazardous & Other Waste (M & TM) Rules, 2016 which may please be noted.

FOR & ON THE BEHALF OF MPC BOARD


(S.R. Bhosale)

Regional Officer, Mumbai

Copy submitted to:-

Asst. Secretary (Tech.), MPC Board, Sion, Mumbai – for information.

Copy to:

- 1) Sub Regional Officer, MPC Board, Mumbai -II
- He is directed to serve copies of direction to industry & keep necessarily follow up.
- 2) Master File.

M/s. Speco Infrastructure

Plot Bearing CTS nO. 7595,7596,7587,

Kooka Estate, Bail Bazar,

Village Kolekalyan,Mumbai