

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I ()
No:- Format1.0/CAC/UAN
No.0000160362/CO/2310000507

Date: 08/10/2023

To,
M/s. JNTL CONSUMER HEALTH (INDIA) PVT. LTD.,
(Formerly known as Johnson & Johnson Pvt. Ltd.)
Sr. No. 476-480, LBS MARG, MULUND WEST, MUMBAI -
400080.



Sub: Grant of Consent to Operate with change in name under Red/LSI

- Ref:**
1. Consent to Operate granted vide No Format 1.0/CAC/UAN No. 0000105985/CR-2107000240 dated 05/7/2021, valid up to 30.06.2026.
 2. Minutes of Consent Appraisal Committee meeting held on 05/7/2023.

Your application No.MPCB-CONSENT-0000160362 Dated 24.01.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 30/06/2026**
2. **The capital investment of the project is Rs.1145.94 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. CI-259.30 Cr + Fair Market value of Land- 886.64 Cr)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	ORSL Basekit	1320	Ton/Y
2	Johnsons Baby Powder	18000	Ton/Y
3	Sanitary Napkin	18000	Ton/Y
4	Miscellaneous Baby Products	1920	Ton/Y

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	31	As per Schedule-I	70% of treated effluent used on land for gardening and discharge remaining 30% into MCGM Sewer line
2.	Domestic effluent	46	As per Schedule-I	70% of treated sewage used on land for gardening and discharge remaining 30% into MCGM Sewer line

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	Boiler	1	As per Schedule -II
2	S2	DG Set 750 KVA	1	As per Schedule -II
3	S3	DG Set 500 KVA	1	As per Schedule -II
4	S4	DG Set 250 KVA	1	As per Schedule -II
5	S5	DG Set 125 KVA	1	As per Schedule -II
6	S6	DG Set 125 KVA	1	As per Schedule -II
7	S7	DG Set 500 KVA	1	As per Schedule -II
8	S8	DG Set 1250 KVA	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Plastic Waste	500000	Kg/Annum	Sale	Sale to authorized party
2	Powder Waste	131925	Kg/Annum	Sale	Sale to authorized party
3	Pulp Waste	400000	Kg/Annum	Sale	Sale to authorized party
4	Paper Waste	400000	Kg/Annum	Sale	Sale to authorized party
5	Metal Waste	200000	Kg/Annum	Sale	Sale to authorized party
6	Broken Glass	100000	Kg/Annum	Sale	Sale to authorized party
7	Dust Bhoosa	40000	Kg/Annum	Composting	Sale to authorized party
8	Cable Waste	5000	Kg/Annum	Sale	Sale to authorized party

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	28.6 Spent organic solvents	20075	Kg/Annum	Incineration	CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
2	34.2 Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers	1000	Kg/Annum	Landfill	CHWTSDf
3	20.2 Spent solvents	1825	Kg/Annum	Incineration	CHWTSDf
4	21.1 Process wastes, residues and sludges	3650	Kg/Annum	Incineration	CHWTSDf
5	28.5 Date-expired products	10037.5	Kg/Annum	Incineration	CHWTSDf
6	Mirco Biological Waste	900	Kg/M	Incineration	CHWTSDf
7	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	10000	Nos./Y	Recycle	CHWTSDf
8	15.2 Discarded asbestos	2190	Kg/Annum	Secured landfill	CHWTSDf
9	Other	1000	Ton/Y	Incineration, Landfill	CHWTSDf
10	35.4 Oil and grease skimming	1000	Kg/Annum	Incineration	CHWTSDf

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDf:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Microbiology Biotechnology and other clinical laboratory waste	900.00	Yellow colored non- chlorinated plastic bags containers	CBMWTSDf

9. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
10. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
11. This consent is issued with overriding effect on earlier Consent to Operate granted by the Board vide no. Format 1.0/CAC/UAN No. 0000105985/CR-2107000240 dated 05/7/2021
12. The applicant shall comply with the Plastic Waste Management Rule 2016 as well as Maharashtra Plastic Notification 2018 & amended thereto.
13. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

14. This consent is issued as per the minutes of Consent Appraisal Committee meeting held on 05/7/2023.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	11690760.00	MPCB-DR-16878	23/01/2023	NEFT

Copy to:

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai IV
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC desk for updating purpose.



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 50.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter) for the treatment of 31 CMD of trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Bio - Assay Test**	90% Survival of Fish after first 96 hours in 100% effluent
(7)	Phosphates as P	5
(8)	Phenolic Compounds	1
(9)	Cyanide (as HCN)	0.1
(10)	Arsenic	0.2
(11)	Total Dissolved Solids	2100
(12)	Lead	0.1
(13)	Chloride	600
(14)	Sulphate	1000

- C] The treated effluent shall be 70% used on land for gardening within premise & remaining 30% shall be discharged to MCGM sewer line after confirming above standards.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 46 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30
3	COD	Not to exceed	100

C] The treated sewage (70%) shall be used on land for gardening within premise & remaining 30% shall be discharged to MCGM sewer line after confirming above standards.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	20.00
2.	Domestic purpose	100.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	112.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	28

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	Boiler	Stack	30.00	PNG 16320 Kg/Hr	-	NOx	50 Mg/Nm ³
S2	DG Set 750 KVA	Acoustic Enclosure	8.00	HSD 150 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	72 Kg/Day
S3	DG Set 500 KVA	Acoustic Enclosure	8.00	HSD 100 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	48 Kg/Day
S4	DG Set 250 KVA	Acoustic Enclosure	8.00	HSD 50 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	24 Kg/Day
S5	DG Set 125 KVA	Acoustic Enclosure	8.00	HSD 25 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	12 Kg/Day
S6	DG Set 125 KVA	Acoustic Enclosure	8.00	HSD 25 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	12 Kg/Day
S7	DG Set 500 KVA	Acoustic Enclosure	8.00	HSD 100 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	48 Kg/Day
S8	DG Set 1250 KVA	Acoustic Enclosure	30.00	HSD 100 Ltr/Hr	1	TPM	150 Mg/Nm ³
						SO2	48 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (unit)	
Total Particulate Matter	Not to exceed	150 mg/ Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	25 Lakh	Existing	Towards not to carry out expansion without obtaining prior permission and towards not to violate consent conditions	30/6/2026	31/12/2026
2	C to R	9 Lakh (5 + 4)	Existing	Towards O&M of Pollution Control system	30/6/2026	31/12/2026

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.

25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.

37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
38. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.

