

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 022-25802272
Fax: 022-25805398
Website: <http://mpcb.gov.in>
Email: rothane@mpcb.gov.in



Maharashtra Pollution
Control Board, Plot No P-30,
5th floor Office Complex
Building Mulund Checknaka,
Thane.

ORANGE/L.S.I

Date: 22/09/2026

No:- Format1.0/RO/UAN No.0000021682

To,
M/s. Emil Pharmaceutical Industries Pvt. Ltd.
(formerly known as M/s. Medibios Laboratories Ltd)
Plot No. J-76 & J-76 (Pt), MIDC Tarapur,
Tal. & Dist. Palghar.



Sub: Amendment in consent for change in fuel pattern

Ref: Consent to Operate granted vide no. Format1.0/RO/UAN No.MPCBCONSENT-0000259635/CR/2511000524, dtd. 09.11.2025

Existing CI is-Rs. 86.66 Crs + Increase in C.I. - Rs. 45.52 Crs

Grant of Amendment in Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the amendment in consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Following Amendment in Existing Consent :

Sr. No.	As per Existing Consent	Amended
1	Boiler No. 1- LDO/ Natural Gas	Boiler No. 1- Natural Gas/Bio fuel
2	Boiler No. 2- LDO/ Natural Gas	Boiler No. 2- LSHS/LDO
3	Boiler No. 3- LDO/ Natural Gas	Boiler No. 3- Natural Gas/Bio fuel

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
- The applicant shall obtain permission from Central Ground Water Board for the use of Ground Water.
- The applicant shall comply with the provision of E-Waste Management Rules, 2016.
- The applicant shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
- The applicant shall not carry out any activities, which require prior Environmental Clearance as per EIA notification 2006 & as amended.
- This is issued without pre-justice of the Hon'ble NGT orders passed or being passed in Application No. 64/2016 filed by Akhil Bhartiya Mangela Samaj & Ors. V/s. MPCB & Ors.

10. This Consent is issued subject to an order passed or may be passed by Hon'ble NGT in application no. 1038/2018 in the matter of CEPI.
11. The applicant shall ensure connectivity of 2-way SCADA system, NRV with auto sampler to CETP server time to time.
12. All terms and conditions prescribed in previous consent vide no. Format1.0/RO/UAN No.MPCBCONSENT- 0000259635/CR/2511000524, dtd. 09.11.2025 will remained unchanged.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Sub-Regional Officer, MPCB, Tarapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

