

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email: sroamravati1@mpcb.gov.in



**Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606**

**No. BO/MPCB/SRO/Refusal/UAN
No.0000159322/CO/2602000200**

Date: 13/02/2026

To,
**Takhatmal Shrivallabh Homoeopathic Medical College
& Hospital**
, Rajapeth, Amravati



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. Your application for grant of Consent to Operate (UAN No. MPCB-CONSENT-0000159322)
2. Board's circular dtd.25.08.2025.

WHEREAS, this office is in receipt of your application for grant of Consent to Operate under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, as per the Board's circular dtd.25.08.2025 only the following reasons shall be considered valid for submission of amendment applications in Consent: 1) Typographical or clerical errors in the consent issued to the industry. 2) Change in the name of the industry (subject to supporting documentary evidence). 3) Change in the disposal path of Hazardous Waste for pre-processing or coprocessing, as per the policy of the Board. All other applications for amendment in consent, which do not fall under the above listed categories.

In view of above, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You shall apply for CCA separately. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments.

If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 days' time from the date of receipt of this letter.

Copy to:

1. Regional Officer, MPCB-Amravati- for information, please. He is directed to issue stop work Direction to the PP after one month with intimation to competent planning Authority & report to HQ.

