

MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE, BHIWANDI

Tel: (0251) 2310167/2310212
Fax: (0251) 2310192
Website: <http://mpcb.gov.in>
E-mail: srobhiwandi@mpcb.gov.in



Siddhivinayak Sankul,
3rd & 4th Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

No: Refusal/ SRO-BHIVANDI/BMW_AUTH/2605000113

Date: 11 / 05 / 2026

To,
M/s. SUREKHA HOSPITAL
1ST FLOOR, AARAMBH SQARE,
NEAR WINE SHOP MANKOLI VEHALE RD,
MANKOLI, Tal. Bhiwandi, Dist. Thane-421302

Sub: - Refusal of BMW authorization under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

Ref: - 1. Your CCA application UAN No. MPCB-BMW_AUTH-0000039603
2. Scrutiny letters issued by SRO Bhiwandi vide dtd: 31.01.2022 and 02.03.2022

Sir,

You have applied for BMW authorization for your unit as per the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Your application has been scrutinized, you have not submitted Mumbai Nursing home Registration copy, not received reply for scrutiny letter vide dtd.31.01.2022 and 02.03.2022 Now required to apply for CCA.

In view of above your BMW authorization hereby rejected.

(S.S. Patil)

Sub Regional Officer, Bhiwandi

Copy to-
Regional Officer, Kalyan – For information.