

MAHARASHTRA POLLUTION CONTROL BOARD

Tel:
Fax:
Website: <http://mpcb.gov.in>
Email:



RED/L.S.I
No:- Format1.0/MS/UAN No.0000020012

Date: 23/07/2026

To,
Elementis Specialties (India) Private Limited,
Plot No. T-29 & T-29 (Pt) MIDC Taloja,
Tal. - Panvel, Dist.- Raigad.



Sub: Amendment in existing consent

Ref: 1. Consent to Operate granted vide Format1.0/CAC/UAN
No.MPCBCONSENT-0000271252/CR/2603004659 dated 23/03/2026
2. Minutes of 17th CAC meeting dated 10.03.2026 & 13.03.2026.

Change in existing consent

grant of Amendment in Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Following Amendment in Existing Consent :

Sr. No.	As per Existing Consent	Amended
1	5.3. S-3 to S-7,Spray Dryer Process Vent (05) , Number of stacks = 5	5.3. S-3 to S-6,Spray Dryer Process Vent (04) , Number of stacks = 4
2	5.4. S-8 to S-13 ,Reactor Process Vent (06 Nos) , Number of stacks = 6	5.4. S-7 to S-12 ,Reactor Process Vent (06 Nos) , Number of stacks = 6
3	5.5. S-14 to S-18 ,Air Jet Mill (Process Vent-05 Nos) , Number of stacks = 5	5.5. S-13 to S-17 ,Air Jet Mill (Process Vent-05 Nos) , Number of stacks = 5
4	5.6. S-19,HCl Scrubber Vent , Number of stacks = 1	5.6. S-18,HCl Scrubber Vent , Number of stacks = 1
5	5.7 S-20,Fume Hood , Number of stacks = 1	5.7 S-19,Fume Hood , Number of stacks = 1
6	5.8 S-21,Spray Dryer , Number of stacks = 1	5.8 S-20,Spray Dryer , Number of stacks = 1
7	6.1. M.S. Scrap = 100 Kg/M	6.1. M.S. Scrap = 30 MT/A
8	6.2. Wooden Material = 750 Kg/M	6.2. Wooden Material = 50 MT/A

Sr. No.	As per Existing Consent	Amended
9	6.3. Paper Waste = 100 Kg/M	6.3. Paper Waste = 15 MT/A
10	-	6.4 .Glass wool = 1 MT/A, Treatment-Sale, Disposal = Sale to authorised party
11	7.1 36.2 Spent carbon or filter medium = 94 MT/A	7.1 36.2 Spent carbon or filter medium = 70 MT/A
12	7.4. 16.2 Residue or sludges and filter cakes = 40 MT/A	7.416.2 Residue or sludges and filter cakes = 64 MT/A
13	7.6. 5.1 Used or spent oil = 0.6 MT/A	7.6. 5.1 Used or spent oil = 1.2 MT/A
14	8.1. Battery Waste =40.00 Nos./Y	8.1. Battery Waste =50.00 Nos./Y
15	9.1. Plastic Waste = 50.60 MT/A	9.1. Plastic Waste = 60 MT/A
16	10.1. E waste = 25 Kg/A	10.1. E waste = 40 Kg/A
17	Schedule II, S-3 to S-7, Spray Dryer	Schedule II, S-3 to S-6, Spray Dryer (4 nos)
18	Schedule II, S-8 to S-13, Process Reactor (06 Nos)	Schedule II, S-7 to S-12, Process Reactor (06 Nos)
19	Schedule II, S-14 to S-18, Air jet mill (Process Vent-05 Nos)	Schedule II, S-13 to S-17, Air jet mill (Process Vent-05 Nos)
20	Schedule II, S-14 to S-18, Air jet mill (Process Vent-05 Nos)	Schedule II, S-13 to S-17, Air jet mill (Process Vent-05 Nos)
21	Schedule II, S-19, Process Vent (HCl Scrubber)	Schedule II, S-18, Process Vent (HCl Scrubber)
22	Schedule II, S-20, Fume hood	Schedule II, S-19, Fume hood
23	Schedule II, S-21, Spray dryer	Schedule II, S-20, Spray dryer

- All the other term and conditions shall remain same as stipulated in consent granted vide ref no 1.
- The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Regional Officer, MPCB, Navi Mumbai and Sub-Regional Officer, MPCB, Taloja
 - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC updating.

