

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

No. BO/MPCB/CAC/Refusal/UAN
No.0000276321/CE/2607000299

Date: 29/07/2026

To,
M/s. STERLITE TECHNOLOGIES LIMITED
Plot No. A-1/7, MIDC, Shendra, ,Plot No. A-1/7,
MIDC, Shendra, Tal. & Dist. - Chatrapati Sambhaji
Nagar
Chatrapati Sambhaji Nagar, Chatrapati Sambhaji
Nagar-Chatrapati Sambhaji Nagar



Your Service is Our Duty

Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref:

1. Earlier Consent to establish for expansion vide No:- Format1.0/CAC/UAN No.0000276321/CE/2604002253 dated 23/04/2026.
2. The Board's Circular for Amendment in Consent vide No. BO/MPCB/AS(T)/Circular/B-33 dated 25/08/2025.
3. Your application for grant of Amendment of Consent with MPCB- CONSENT_AMMENDMENT-0000020387 dated 27/04/2026

WHEREAS, this office is in receipt of your application for grant of Consent to Establish under section 25 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016.

AND WHEREAS, the Board office has granted Renewal of Consent to Operate vide dated 23/04/2026 reference (1). You have submitted application for change in DG fuel consumption and removal of parameter SO₂.

AND WHEREAS, your amendment application is not in accordance with the Board's Circular dated 25.08.2025 as above reference (2).

In view of above, your application for grant of Consent to Establish is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. Regional Officer, MPCB-Chhatrapati Sambhajinagar- for information, please.
2. Sub Regional Officer, MPCB-Chhatrapati Sambhajinagar I- for information.

