

MAHARASHTRA POLLUTION CONTROL BOARD
SUB - REGIONAL OFFICE, AKOLA

Phone : 0724-2442344, 2444992

Fax : 0724-2442344

E-Mail : sroakola@mpcb.gov.in



Alsi Plot, Opp.

Hutatma Smarak, Nehru Park Chowk
Akola - 444001.

No. MPCB/ASRO/SRO/ 2211000034

Date: /11/2022

To,
Dr. Deepali Vijay Patil,
M/s. Patil Eye Hospital,
Wankhede Layout, Behind Shri Shivaji Highschool,
Near Vidharba Housing Colony, Tq. & Dist. Buldhana

Sub: - Rejection of authorization application submitted to this office under
Water (Prevention & Control of Pollution) Act, 1974 and Air
(Prevention & Control of Pollution) Act, 1981.

Ref: - Your application No. MPCB-BMW_AUTH-0000043207.

WHEREAS, we refer your application for consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous & Other Waste (Management & Trans-Boundary Movement) Rules, 2016.

You have not submitted Combine Consent Authorization format as per Board Circular no. MPCB/MS/PSO/BMW -220606FTS0130, dtd. 06.06.2022 , BMW Annual return.

You are requested to, please apply on Combine Consent Authorization format.

AND WHEREAS, you have failed to submit the above-mentioned information within the time. Due to insufficient of necessary information/documents this office unable to process your application. Therefore, the application cannot be considered for the grant of Authorization

Hence, in view of above your application for authorization is hereby rejected.

(M.S. Holkar)

Sub -Regional Officer,
M.P.C. Board, Akola

Copy submitted for information:
Regional Officer, MPC Board, Amravati.