


# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2nd - 4th Floor
Fax: 24024068 / 24023515		Opp. Cine Planet Cinema,
Website: <a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Near Sion Circle, Sion (E)
E-mail: <a href="mailto:cac-cell@mpcb.gov.in">cac-cell@mpcb.gov.in</a>		Mumbai-400 022.

RED/LSI

No. MPCB/CAC-Cell/Amend/1905000012

Date: 14/05/2019

## Amendment of Consent

To,

M/s. Nipro India Corporation Pvt. Ltd.

Plot No – E-1, Kesurdi MIDC,

Vill. Dhangarwadi, Tal. Khandala,

Dist. Satara.

**Subject: Amendment in 1st Consent to Operate (part) and renewal of consent with deletion of one product (Rubber Stopper) and their amalgamation in RED category.**

- Ref : 1. Earlier consent to operate granted vide no. BO/CAC-Cell/ UAN No. 0000050006-18/8<sup>th</sup> CAC-1901000681 dated 10.01.2019 which was valid upto 31.07.2022.**
- 2. Earlier corrigendum granted vide vide no. BO/CAC-Cell/UAN No. 0000050006-18/8<sup>th</sup> CAC-1901000681/Amend-0158 dated 07.02.2019.**
- 3. Your application for amendment No. 0000002212.**
- 4. Your application is approved in CAC meeting held on 10.04.2019**

Board has granted the consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016 to M/s. Nipro India Corporation Pvt. Ltd. Plot No – E-1, Kesurdi MIDC, Vill. Dhangarwadi, Tal. Khandala, Dist. Satara for 1st Consent to Operate (part) and renewal of consent with deletion of one product (Rubber Stopper) and their amalgamation vide above Ref. no.1. Industry has submitted the application for amendments in the consent vide Ref. no.3. The case was placed before CAC held on 10.04.2019 and it was decided to amend the consent & is hereby read as under:-

**FOR**

To,

M/s. Nipro India Corporation Pvt. Ltd.

Plot No – E-1, Kesurdi MIDC,

Vill. Dhangarwadi, Tal. Khandala,

Dist. Satara.

**READ AS**

To,

M/s. Nipro India Corporation Pvt. Ltd.

Plot No – E-1/1, Kesurdi MIDC,

Vill. Dhangarwadi, Tal. Khandala,

Dist. Satara.

FOR

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) C] The treated effluent of 266 CMD shall be recycled and remaining treated effluent of 173 CMD shall use on 15 acres of land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises.
- 2) C] The treated effluent of 266 CMD shall be recycled and remaining treated effluent of 173 CMD shall use on 15 acres of land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises.

READ AS

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) C] The treated effluent of 210 CMD shall be recycled and remaining treated effluent of 229 CMD shall use on 15 acres of land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises.
- 2) C] The treated effluent of 210 CMD shall be recycled and remaining treated effluent of 229 CMD shall use on 15 acres of land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises.

FOR

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have installed the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler (4 Nos. x 2 TPH) & (1 No x 3TPH)	36 (common stack)	HSD & Bio diesel	658	Lit/hr	1	316
2	DG set (2 Nos. x 1010 KVA) & (1 Nos. x 2000 KVA)	30 mtr each	HSD	790	Lit/hr	1	380

READ AS

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have installed the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-


Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler (4 Nos. x 2 TPH) & (1 No x 3TPH)	---	36 (common stack)	HSD & Bio diesel	658 Lit/hr	1	316

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
2	DG set (2 Nos. x 1010 KVA) & (1 Nos. x 2000 KVA)	Acoustic enclosures	30 mtr each	HSD	790 Lit/hr	1	380

All the other conditions of the consent referred at 1. shall be remain unchanged. This amendment is valid only along with the consent referred vide above Ref. No. 1.

This Amendment consent is issued as per the Boards office order E-736 Dated 06.05.2019.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(P. K. Mirashe)  
Member Secretary

Copy submitted to: Regional Officer, Pune & Sub-Regional Officer, MPCB, Satara- for necessary information.

