

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel.No. (0240) 2473462  
Fax No. (0240) 2473461



Regional Office, Paryavaran Bhavan,  
A-4/1, MIDC Area, Chikalthana,  
Behind Daynik Lokpatra, Near Seth  
Nandlal Dhoot Hospital, Jalna Road,  
Aurangabad-431 210.

No. MPCB/ROA/ /2022

2204000019

Date :- 19/04/2022

To,  
M/s. Krishna Coating  
Plot No.K-15,MIDC Waluj,Aurangabad.

Sub:- Your applications for grant of Amendment in Consent.


Ref:- 1) Consent granted by the Board vide No. RO-  
AURANGABAD/CONSENT/1804913 dtd.20.04.2018.

2)Your application MPCB-CONSENT\_AMMENDMENT- 0000006365.

The Board has granted the consent to you vide above reference no (1) as per your uploaded application.Further you applied for amendment in consent for Changes in Waste Water Aspects, Changes in Hazardous waste Aspects and Non Hazardous waste Aspects vide above ref no (2).

The Sub-Regional Officer, MPCB, Aurangabad has processed and submitted your above cited application to this office for amendment in Changes in Waste Water Aspects, Changes in Hazardous waste Aspects and Non Hazardous waste Aspects .However,after scrutiny of your Old application and accordingly consent granted on 20.04.2018 .it is seen that there is increase in water consumption,effluent generation,HW generation .in this context, for any expansion, you have to apply seperatly for consent to establish /operate for expansion.

In view of above, your application is cannot be considered and rejected herewith without grant of Amendment in Consent.

  
(Dr. P.M. Joshi)  
Regional Officer-Aurangabad.

Copy forwarded to :-

1. The Sub-Regional Officer, MPCB, Aurangabad- For follow up and directed to submit the present status of the industry.

Copy to Master File, MPCB, Aurangabad.