

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

No. BO/MPCB/CC/Refusal/UAN
No.0000276281/CE/2605001224

Date: 12/05/2026

To,
HM bio (Run by jadhav enterprises)
205, Narangwadi
Omerga, Osmanabad-Osmanabad



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Your application for grant of Consent to Establish (UAN No. MPCB-CONSENT-0000276281) dated 15.02.2026
 2. Report submitted by SRO- MPCB, Latur date 10.03.2026
 3. Earlier application vide UAN no. 187684 was refused on 03.09.2024 and UAN no. 224241 was refused on 07.03.2025
 4. Minutes of 14th CC meeting held on 16/03/2026
 5. SCN for refusal issued on 20/03/2026
 6. Reply submitted on 24.03.2026

WHEREAS, this office is in receipt of your application for grant of Consent to Establish under section 25 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016.

AND WHEREAS, refer to your application of grant Combined Consent to Establish and BMW authorization under the provisions under section 25 of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 and Authorization under Rule 10 of the Bio medical Waste Management Rules, 2016, received through Sub Regional Officer, Latur on 10.03.2026

AND WHEREAS, your application was discussed in 14th CC meeting held on 16/03/2026 wherein it was decided to issue SCN for refusal. Accordingly, SCN for refusal was issued on 20/03/2026 for following non compliances.

1. You have not submitted the required consent fees.
2. MOEFCC, GoI vide letter dated 31/07/2024 has instructed SPCBs/PCCs to ensure that before establishing any new CBWTFs for locality or region, Gap Analysis shall be prepared and submit to MOEFCC & CPCB for their comments if any, as prescribed in guidelines.
3. As per the MOEFCC directive, the decision regarding this application may be taken based on the findings of the Gap Analysis report upon its completion.

4. You have forwarded the application without the site verification report as per CPCB guidelines for development of CTF in "Annexure-IV" of CPCB Guidelines for CTF carried by SRO- Latur.

AND WHEREAS, you have submitted reply on 24.03.2026 which is not satisfactory and also you have not submitted requisite fee.

AND WHEREAS your application is received without site verification report as per CPCB guidelines for development of CTF in "Annexure-IV" of CPCB Guidelines for CTF carried by SRO- Latur and also Gap Analysis report is in process.

NOW THEREFORE, as per decision of 14th CC meeting held on 16/03/2026, your application for grant of Combined Consent to Establish & BMW Authorization under the provisions under section 27 of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 and Authorization under Rule 10 of the Biomedical Waste Management Rules, 2016 is hereby refused, which please be noted. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter



Copy to:

1. Regional Officer, MPCB-Chhatrapati Sambhajnagar- for information, please.
2. Sub Regional Officer, MPCB-Latur- for information. You shall communicate to the applicant and Initiate Legal Action against CTF through Legal Module.