

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365161
Fax: 0253 - 2365161
Website: <http://mpcb.gov.in>
Email: sronasik@mpcb.gov.in



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur, Nashik - 422007

GREEN/S.S.I

Date: 05/07/2026

No:- Format1.0/SRO/UAN No.0000020930

To,
M/s. YAPP INDIA AUTOMOTIVE SYSTEMS PVT LTD
Gat No. 243/2, Chandrama Garden, Trimbak Road,
Pimpalgaon Bahula
NASHIK, Nashik-Nashik



Sub: Grant of Amendment

Grant of Amendment in Water Budget, Non-Hazardous Waste generation, and DG Set capacity/operation

Grant of Amendment in Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the amendment in consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Following Amendment in Existing Consent :

Sr. No.	As per Existing Consent	Amended
1	Changes in Non Hazardous waste Aspects is Nil	Non Hazardous waste Aspects is 1. Cartoon Box 250 Kg/M by Sale, 2 Plastic Pallates 100 Kg/M by Sale, 3 Wooden Scarp 100 Kg/M by Sale, 4 Poly Bag 200 Kg/M by Sale 5 Waste Corrugated Scrap 1600 Kg/M by Sale
2	Waste Water Aspects Domestic Purpose: Water consumption 1 Effluent generation is 0.8	Waste Water Aspects Domestic Purpose: Water consumption 1.5 Effluent generation is 1.0
3	Air Pollution Aspects: is Nil	Air Pollution Aspects: Fuel consumption: Fuel Type UOM Fuel Consumption Calorific value Ash content(%) Sulphur content Other (specify) Diesel Kg/Hr 3.0 10800 0.01 0 - Details of stack (process & fuel stacks: D. G.): (a) Stack number(s) (b) Attached to (c) Capacity (TPH) (d) Fuel Type (e) Fuel quantity (Kg/hr.) (f) Material of construction MPCB-CONSENT_AMMENDMENT-0000020930 S-1 DG Set (25 KVA) - Diesel 3 MS (g) Shape (round/rectangular) (h) Height, m (above ground level) (i) Diameter/Size, in meters (j) Gas quantity, Nm ³ /hr. (k) Gas temperature ? (l) Exit gas velocity, m/sec. Round 3.5 0.10 350 -- -- (m) Control equipment preceding the stack (n) Nature of pollutants likely to present in stack gases such as Cl ₂ , Nox, Sox TPM etc. (o) Emissions control system provided (p) In case of D.G. Set power generation capacity in KVA

2. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.

3. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
4. The industry shall obtain permission /NOC of CGWA for ground water Extraction and shall not carry any ground water extraction without permission of CGWA.
5. The industry shall comply with Maharashtra Plastic and Thermocol Non Bio-degradable Products Notification 2018 dtd.23.03.2018 published by Environment Department, Government of Maharashtra.
6. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
7. The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/Activity. (Establish)

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Copy to:

1. Regional Officer, MPCB, Nashik
2. Chief Accounts Officer, MPCB, Sion, Mumbai