

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594,
0721-2563592
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email: roamravati@mpcb.gov.in



Maharashtra Pollution
Control Board Sahkar
Surbhi Bapatwadi, Near
Vivekanand Colony,
Amravati-444606

No. BO/MPCB/RO/Refusal/UAN
No.0000139861/CE/2209000546

Date: 12/09/2022

To,
Rajarshi Shahu Maharaj Ayurved Hospital And
Research Institute
211/212, Buldhana
Dist. Buldhana



Your Service is Our Duty

Sub: Refusal of Consent to Establish under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Your application for grant of Consent to Establish (UAN No. MPCB-CONSENT-0000139861)
 2. Scrutiny letter communicated by SRO Akola on 08.06.2022.
 3. Show Cause Notice for refusal of consent issued vide letter no. MPC/SCN/1078, dtd. 23.08.2022.

WHEREAS, this office is in receipt of your application for grant of Consent to Establish under section 25 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board office has issued scrutiny letter & SCN for refusal of consent vide reference (2 & 3) above in which asked to submit the information regarding details of ETP/STP, disposal of treated effluent alongwith land availability in acres, water budgeting showing water consumption for each process. You have submitted your reply on 17.06.2022 which is not technically satisfactory.

AND WHEREAS, you have failed to submit the satisfactory reply to the letter even sufficient & reasonable opportunity given for the submission of same and in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of Consent to Establish is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. Regional Officer, MPCB-Amravati- for information, please.
2. Sub Regional Officer, MPCB-Akola- for information. You shall communicate to the applicant and Initiate Legal Action against HCE including Proposal to Impose ECC through Legal Module.

