MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax:

24044532/4024068/4023516 Website: http://mpcb.gov.in Email: idair@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Environment

Your Service is Our Dutv

RED/L.S.I (R35) Date: 22/09/2023

No:- Format1.0/APAE Section/UAN No.MPCB-CONSENT-0000165981/CR/2309001721

To,

M/s. MOIL Limited BELDONGRI MINE

Vill. Beldongri, PO. Nagardhan, Tal. Parseoni, Dist. Nagpur-441105.

Sub: Renewal of Consent to Operate

Ref: Consent to Operate granted by the Board vide Format1.0/APAE Section/UAN

No. 000138747/CR/22070001076 dated 22/07/2022 valid upto 31/07/2023.

Your application No.MPCB-CONSENT-0000165981 Dated 22.03.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent to renewal is granted for a period up to 30/06/2025
- 2. The capital investment of the project is Rs.25.716 Crs. (As per C.A Certificate submitted by industry)
- Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	иом				
Prod	Products						
1	MANGANESE ORE ON MINING LEASE AREA 65.20 Ha	600000	Ton/Y				

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr Vo	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	34	As per Schedule-	ZLD-(Including mine discharge) spraying mine pit for dust suppression and remaining for irrigation
2.	Domestic effluent	22	As per Schedule-I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr	No. Sta	ck No.	Description of stack / source	Number of Stack	Standards to be achieved
	NA NA				

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Over burden	0	NA	Backfilling	Backfilling

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
	NA				

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities
- 10. The applicant shall comply with the conditions of the Environmental Clearance granted by MoEF & CC, Gol vide letter No. J-11015/407/2007-IA.II(M) dtd. 12/09/2007.
- 11. Industry shall operate ETP and 100% recycle/ reuse treated effluent so as to achieve ZLD.
- 12. PP shall operate ambient air quality monitoring regularly and submit monitoring data to Regional Office, MPCB at Nagpur.
- 13. PP shall operate existing STP to achieve consented standards.
- 14. PP shall provide tar road in remaining area for mineral transportation within 03 months
- 15. PP shall carry out over burden dump management as per CPCB guidelines.
- 16. PP shall carry out plantation as per EC condition before ensuing monsoon.
- 17. PP shall provide treatment plant for mine water discharge and submit sedimentation tank design details.
- 18. PP shall obtain comply the conditions of CGWA NOC granted vide No. CGWA/NOC/MIN/REN/2/2023/7597 dated 12/04/2023 valid upto 13/06/2025.
- 19. Industry shall comply with E-Waste (Management and Handling) Rule, 2016.
- 20. Industry shall comply with Maharashtra Plastic Waste Management & Handling Rules 2018 and Plastic and Thermocol Products (MUSTH&S) Notification, 2018 and amendments issued from time to time.
- 21. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
- 22. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	55000.00	MPCB-DR-18236	28/03/2023	NEFT
2	15000.00	TXN2304003065	21/04/2023	Online Payment
3	120000.00	TXN2304003063	21/04/2023	Online Payment

Previous balance consent fee Rs. 3,20,000/- considered. Now Consent fee Rs. 2,25,000/- & Mining charges Rs. 72,000/- balance with Board & will be consider next Renewal of Consent.

Copy to:

- 1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1. A] As per your application, you have provided Effluent Treatment Plant (ETP) for workshop and sedimentation for mine water discharge.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	рН	5.5 to 9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27°C)	30
(4)	COD	250
(5)	Total Suspended solids	100
(6)	Total Dissolved solids	2100

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. Treated effluent not allowed for outside factory premises.
- 2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 135 CMD for the treatment of 22 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD (3 days 27°C)	Not to exceed	30
2	SS	Not to exceed	50

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.
- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

- 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	42.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	8

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/pro posed	Stack Height(in mtr)	Type of Fuel	Content(in	Pollutant	Standard
NA	NA		0.00	_	-	NA	_

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control
 equipment with necessary specifications and operation thereof or alteration or
 replacement/alteration well before its life come to an end or erection of new pollution
 control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5. Control Equipments
 - a. Manganese handling plant provided with dust collector & automatic water sprinkler shall be operated
 - b. Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression system.
 - c. Minerals shall be properly covered during transportation.
 - d. The applicant shall carry out tree plantation along road side, around dumps or compulsory afforestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width & height is developed between mining area/road and surrounding environment.
 - e. Black topped metal roads provided shall be well maintained to prevent dust formation.
 - f. Overloading of dumpers shall be avoided to prevent spillages.
 - g. Correct type & quantity of explosive shall be used to avoid excess dust formation & vibration in the surrounding area.
 - h. The slope of the over burden shall have slope not more than 28° to the horizontal. The overburden shall be properly covered by vegetation for stabilization.
 - i. Minerals transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation.
- 6. Standards for Ambient Air Pollutants:

The Suspended Particulate Matter (SPM), Respirable Particulate Matter (RPM), Sulphur dioxide (SO_2) and Oxides of Nitrogen (NO_x) concentration in downwind direction considering predominant wind direction, at a distance of 500 metres from the following dust generating sources shall not exceed the standards specified in the table given below:

Dust Generating Sources:

Loading or unloading, Haul Road, coal transportation road, Coal handling plant (CHP), Railway Sliding, Blasting, Drilling, Overburden dumps, or any other dust generating external sources like coke ovens (hard as well as soft), briquette industry, nearby road etc.

Pollutant	Time weighted average	Concentration in Ambient Air
Suspended Particulates Matter	Annual Average	360 μg/m³
(SPM)	24 hours	500 μg/m³
Respirable Particulate Matter	Annual Average	180 μg/m³
(size less than 10 μm) (RPM)	24 hours	250 μg/m³
Sulphur Dioxide (SO ₂)	Annual Average	80 μg/m³
Sulptiul Dioxide (30 ₂)	24 hours	120 μg/m³
Oxides of Nitrogen as NO _x	Annual Average	80 μg/m³
Oxides of Microgen as NO _x	24 hours	120 μg/m³

- i. In case of any residential or commercial or industrial place falls within 500 metres of any dust generating sources, the National Ambient Air Quality Standards notified vide MOEFCC GOI notification dtd 16.11.2009 as ammended shall be made applicable.
- ii. The applicant shall provide minimum three ambient air quality monitoring stations within mining area which should be monitored for SPM, RSPM, SO₂, NOx, HC, CO etc. The Annual Arithmetic Mean of minimum 104 measurements in a year taken twice a week 24 hourly at uniform interval shall conform to the National Ambient Air Quality Standards prescribed under Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986. The records of results of monitoring done shall be made available for inspection to the officers of the Board.
- 7. The applicant shall take adequate measures for control of noise levels from its own sources as follows:

Sr. No	Location	Permissible Norms [in dB (A)]	Desired minimum thickness of green belt (m)
1.	Along Road side	65 (Commercial Area)	20
2.	In colonies	55 (Residential Area)	20
3.	Near Opencast Mines	75 (Industrial Area)	10
4.	Near CHPs	75	30
5.	Near Shaft	75	20
6.	Near Mine exhaust fan	75	> 50

8. Other conditions:

i Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess standards laid down, such information shall be forthwith reported to Board, concerned Police station, office of Directorate of Health services, Dept. of explosives, Inspectorate of Factories & Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs.5.0 Lakh	Existing	Operation and Maintenance of pollution control system & to compliance of specific / general condition of Environment Clearance.	Regular Activity	30/10/2025

 $[\]ensuremath{^{**}}\textsc{Existing BG}$ obtained for above purpose if any, may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG		Reason of BG Forfeiture	
NA							

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned			
NA NA							

SCHEDULE-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2. If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
- 6. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9. The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 10. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

- 13. The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 18. The industry should not cause any nuisance in surrounding area.
- 19. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20. The applicant shall maintain good housekeeping.
- 21. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end
- 22. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

- 23. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises
- 25. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

This certificate is digitally & electronically signed.

