

MAHARASHTRA POLLUTION CONTROL BOARD

SUB - REGIONAL OFFICE- -AMRAVATI-I

Ph. No: (0721) 2563594

Fax : (0721) 2563572

Email: sroamravati1@mpcb.gov.in



"Sahkar Surbhi" Bapatwadi, Near
Vivekanand Colony,
Amravati- 444606.

SRO/AMT-I/Return-SRO-AMRAVATI I / 81

Date: 29/01/2021

To,
M/s. Dr. Lal Path Labs,
Shop No.2, Malviya Complex,
V.M.V. Road, Amravati,
Tal. & Dist. Amravati.


Sub : Rejection of consent application submitted to this office under Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981

Ref: 1. Your application for grant of consent to establish vide MPCB-
CONSENT- 0000103414.
2. Query letter issued during scrutiny of your application dtd.08/01/2021 &
18/01/2021.

WHEREAS, this office is in receipt of your application vide above reference no.1 for grant of consent to establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, the firm has applied for grant of CCA for 1 bed HCE. However it is observed that this is a pathological laboratory. They have not mentioned the proper categories of Bio Medical Waste generation. They have not uploaded the membership letter from CBMWTSDF. They have not submitted authorization fees. Therefore the application can not be considered for grant of CCA.

In view of above, your application for grant of consent to establish is hereby Rejected. You are requested to resubmit the application along with necessary documents/fees for the grant of consent to establish under the Water (Prevention & Control of Pollution) Act, 1974; Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.


(S. D. Patil)

Sub- Regional Officer, Amravati-I.

Copy submitted for favor of information to:-
The Regional Officer, MPCB, Amravati.