

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 22640345

Fax: -

Website: <http://mpcb.gov.in>

Email:

sromumbai4@mpcb.gov.in



Kalpataru Point, 1st floor,  
Opp. PVR Theatre, Sion (E),  
Mumbai-400022  
,Maharashtra

No. BO/MPCB/SRO/Refusal/UAN  
No.0000176034/CR/2309001846

Date: 25/09/2023

To,  
DR. JARIWALA LABORATORY & DIAGNOSTICS LLP  
ROKADIA LANE,101,102,102-A, SHREE RASRAJ  
HEIGHTS CHSL,  
BORIVALI (WEST), MUMBAI-400092



**Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:**

1. Your application for grant of CCA vide UAN No. MPCB-CONSENT-0000176034 dated 11/07/2023
2. Scrutiny letter issued by this office vide letter dtd. 24/07/2023.
3. Notice for refusal issued & displayed on Admin Dashboard by Board on dated 08/09/2023

WHEREAS, this office is in receipt of your application for grant of Consent cum Bio Medical Waste Authorization (CCA) U/s 25/26 of Water (P & CP) Act, 1974 and u/s.21 of Air (P & CP) Act,1981 & authorization u/s 10 of Bio Medical Waste Management Rule 2016 and as amended thereafter

AND WHEREAS, Board office has issued show cause notice vide reference (2) above for You are not carrying out source segregation of Bio medical waste thereby violating provisions of BMW rules 2016

AND WHEREAS, The information submitted about water budget waste water generation is not representative. Further, you have not submitted waste water generation from OT/ Path lab & details of scientific treatment and mode of disposal thereof.

AND WHEREAS, you have not submitted CA certificate in prescribed format indicating gross block of fixed capital investment in land, building, plant & machinery at its original cost. Further, it is submitted that the premises of HCE is on rental basis & not included its cost in certificate by CA

AND WHEREAS, Vide letter dtd. 24/07/2023 Board has issued query letter and requested to submit above information. Further, Notice for refusal issued & displayed on Admin Dashboard by Board on dated 08/09/2023 for submission of above stated information. But It is noted that, you have not submitted the above stated information till date.

AND WHEREAS, It is noted that you have not taken any efforts to submit the required Document(s)/ information, which finds difficult to consider your application for grant of CCA. The above facts show your negligent attitude towards aspect of Environmental Protection & implementation of BMW Rules, 2016.

In view of above, considering the above noncompliance, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments.

If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

**Copy to:**

1. Regional Officer, MPCB-Mumbai- for information, please.

