

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 020 - 25811627
Fax: 020 - 25811029
Website: <http://mpcb.gov.in>
Email: ropune@mpcb.gov.in



Jog Center, 3rd floor,
Mumbai Pune Road,
Wakdevadi, Pune - 411003.

GREEN/L.S.I

Date: 07/08/2026

No:- Format1.0/RO/UAN No.0000021070

To,
Yazaki India Pvt. Ltd.
Gat No. 93, S. No. 166, Kesnand, Gat No. 93, S. No.
166, Kesnand, Tal-Haveli, Dist-Pune 412 207
Haveli, Pune-Pune



Sub: Amendment in Consent.

Ref: Earlier consent granted vide no. Format1.0/RO/UAN
No.0000210505/CR/2502001845 Date: 21/02/2025

Existing CI is-Rs. 147.83 Crs + Expansion/Increase in C.I. - Rs. 89.56 Crs

Grant of Amendment in Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the amendment in consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Following Amendment in Existing Consent :

Sr. No.	As per Existing Consent	Amended
1	SCHEDULE-II - DG Sets - Fuel consumption - lit /day	SCHEDULE-II - DG Sets - Fuel consumption - lit /hr
2	Conditions under Hazardous & Other Wastes - 5.1 Used or spent oil - 120 ltr/A	Conditions under Hazardous & Other Wastes - 5.1 Used or spent oil - 1000 KL/A
3	Conditions under Hazardous & Other Wastes - 5.2 Waste - 60 Kg/Annum	Conditions under Hazardous & Other Wastes - 5.2 Waste - 500 Kg/Annum
4	Nil	Category 33.1 - Empty barrels/containers/liners contaminated with hazardous chemicals/wastes: 1000 Nos./Year.
5	Non-Hazardous Wastes: Unit - MT/A	Non-Hazardous Wastes: Unit - MT/M

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent. (Operate/Renewal)

5. The industry shall obtain NOC from Central Ground Water Authority (CGWA) for withdraw of ground water within 03 months from the date of issue of this consent and submit the compliance report to the Board office, otherwise this consent will be treated as null and void.
6. The applicant shall strictly comply with the circular issued by the Board vide No. MPCB / JD(APC) / NACP / DG Set / B-0090 dtd. 02/06/2023 regarding Retrofitting of Emission Control Device (RECD) for in-use Diesel Operated Internal Combustion Engines / D.G. Sets.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

