

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : (0724) 2402992

: (0724) 2402344

Email : sroakola@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Alsi Plot, Opp.Hutatma Smarak,  
Nehru Park Chowk, Akola.444001.

I) File number of authorization and date of issue.

No.- SRO-AKOLA/BMW\_AUTH/ 1705000653

25 May 2017

## LETTER OF BIO-MEDICAL WASTE AUTHORISATION

*[Authorisation for Generation, Collection, Segregation, Storage, Treatment, Disposal of Bio-Medical Wastes under Rule 7(4)]*

II. **M/s. Shri Dattatray Clinic** is hereby granted an authorisation for generation of biomedical waste on the premises situated at **Lonar ves, opposite Ravi Raj Gas agency, Buldhana -Chikhli Road,Mehkar, Dist. Buldana.**


III) This authorization shall be in force for a period upto **31/03/2018** an application shall be made by the occupier / operator for renewal three months before expiry of earlier authorization. **Board can refuse/cancel authorization in case of violation of provisions of Bio-Medical Waste ( Management & Handling ) Rules,1998 as amended from time to time, more particularly waste management.**

IV) This authorization is issued subject to compliance of the conditions stated below & to such other conditions as may be specified in the Rules for the time being in force under the Environment ( Protection ) Act,1986.

v) **No of Beds:- 02 (Two)**

### Terms & Conditions of Authorization.

- 1) The authorized person shall comply with the provisions of the Environment (Protection) Act,1986 & the Rules made there under.
- 2) The authorization shall be produced for inspection at the request of an officer authorized by the Prescribed Authority.
- 3) i) The authorized person shall not rent ,lend or sale the Bio-Medical Waste or facility .  
ii) The authorized person can transfer the BMW generated at above premises to the " Transporter" or "Operator of facility" authorized by MPCB under the Bio-Medical Waste(Management & Handling) Rules,1998 for collection , transportation , treatment and / or disposal of BMW generated.
- 4) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.




Cat.	Description.	Quantity (Kg/Month)	Treatment & Disposal
4	Waste sharps	1.0	At Bio Medical Waste Treatment & Disposal Facility (CBMWTF) viz. M's.Global Eco Save Systems, Badnera. Dist. Amravati authorized by MPC Board.
6	Soiled Waste	1.5	
7	Solid Waste	2.0	


- 5) It is the duty of the authorized person to take prior permission of the Prescribed Authority to close down the facility.
- 6) The authorization is granted for generation ,collection, storage , treatment and disposal of Bio- Medical Waste (BMW) in waste categories & quantities listed herein below :
- 7) The liquid waste generated from the hospital/ treatment activities (from laboratory & washing, cleaning , housekeeping & disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform to the standards prescribed in Schedule- V of said Rules & the Environment ( Protection ) Act,1986.
- 8) i) BMW shall be treated & disposed off in accordance with Schedule -1 and in compliance with the standards prescribed in Schedule -V of said Rules.  
ii) Every occupier, where required, shall set up requisite BMW treatment facilities like incinerator, autoclave/microwave, shredder systems or any other State- of – the –art technology for the treatment of waste or ensure requisite treatment of waste at a common waste treatment facility or any other waste treatment facility according to BMW Rules.
- 9) i) BMW shall not be mixed with other wastes or reused , recycled or sold in any form .  
ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule – II ,prior to storage, treatment and disposal . The containers shall be labeled according to Schedule-III .  
iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises , the container shall apart from the label prescribed in Schedule-III, also carry information prescribed in Schedule-IV & shall be transported by authorized Transporter only.  
iv) Notwithstanding anything contained in the Motor Vehicle Act,1988 or Rules thereunder, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.  
v) Necessary protective gear for the waste handlers shall be provided by the hospital.  
**v) No untreated BMW shall be kept stored beyond a period of 48 hours & till then it shall be stored in cold container.**
- 10) Every “Authorized Person” shall submit an Annual Report to the Prescribed Authority in Form –II by 31<sup>st</sup> January every year including information about the categories and quantities of BMW handled during the preceding year.

- 11) i) Every 'Authorised Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- ii) All records shall be subject to inspection & verification by the Prescribed Authority at any time.
- 12) When any accident occurs at any institutions or facility or any other site where BMW is handled or during transportation of such waste, the authorised person shall report the accident in Form -III to the Prescribed Authority forthwith.
- 13) The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
- 14) The Occupier shall ensure proper collection of mercury spillages arising mainly due to breakage of thermometers, pressure gauges & other equipments used in health care facility, as well as its storage in accordance with the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of Bio-Medical or other Solid Waste generated from the Health Care facility.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(R.D. Mote)

Sub-Regional Officer  
Akola.



To  
**Shri Dattatray Clinic**  
Lonar ves, opposite Ravi Raj Gas agency,  
Buldhana -Chikhli Road, Mehkar, Dist. Buldana

Authorization Fees Received:-

Sr. No.	Amount	Transaction Number & D.D. Number	Date
		Nil	

Regional Officer, MPCB, Amravati.

Copy to:-  
As Per delegation