

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365150
Fax: 0253 - 2365150
Website: <http://mpcb.gov.in>
Email: ronasik@mpcb.gov.in



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur, Nashik - 422007

GREEN/S.S.I

Date: 14/05/2026

No:- Format1.0/RO/UAN No.0000020363

To,
M/S. UMA HOSPITAL AND CRITICAL CARE CENTER
SUYASH CHEMBER ,1ST FLOOR, ABOVE VASAN BAJAJ
SHOWROOM, NEAR HOTEL PADMA ,ABHIYANTA
NAGAR, KAMATHAVADE, NASHIK,
TQ. & DIST. NASHIK.



-422009

Sub: Grant of Amendment in consent to operate for change in name

Ref: CCA issued vide No. Format1.0/RO/UAN No.0000229565/CO/2506002291
Date: 23/06/2025

Change in Name

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. Following Amendment in Consent to Operate & BMW authorization:

Sr. No.	As per earlier CCA	Ammended
1	M/S. UMA MULTIPLICITY HOSPITAL AND CRITICAL CARE	M/s UMA HOSPITAL AND CRITICAL CARE CENTER

2. All the other conditions mentioned in ref.no. 1 remains unchanged
3. This is issued with the overriding effect over CCA issued by the Board vide ref. no. 1

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Sub-Regional Officer, MPCB, Nashik
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

