

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240-2993004
Fax: 0240 - 2473462
Website: <http://mpcb.gov.in>
Email:
sroaurangabad1@mpcb.gov.in



Paryavaran Bhavan, A -
4/1 , MIDC Area ,
Chikalthana, Near Seth
Nandlal Dhoot Hospital ,
Jalna Road , Chatrapati
Sambhaji Nagar - 431 210

No. BO/MPCB/SRO/Refusal/UAN
No.0000254868/CR/2603000100

Date: 14/03/2026

To,
M/s Pravin Industries
Plot no.B-31, MIDC Chikalthana
Tal. & Dist. Chatrapati Sambhaji Nagar.



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application for grant of Consent to Operate (Renewal) (UAN No. MPCB-CONSENT-0000254868)

WHEREAS, this office is in receipt of your application for grant of Consent to operate (renewal) under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board office has issued show cause notice vide reference (2) above for submission of misleading information regarding Earlier application You have mention L.D.Polythene Bag & Tube - 13 (No typographical mistake). You should be applied for Consent to Establish (Expansion).

AND WHEREAS, in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. Regional Officer Chhatrapati Sambhaji Nagar- for information

