

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 022- 25829582
Fax: 022 25805398
Website: <http://mpcb.gov.in>
Email: srothane1@mpcb.gov.in



Plot No. P-30, 5th floor,
Office Complex Building
Mulund Checknaka, Thane.

No. BO/MPCB/SRO/Refusal/UAN
No.0000270178/CO/2604000005

Date: 01/04/2026

To,
M/s Chiranjeevi Hospital,
Near Korum Mall, 33 Dhanishka Tarangan,,Thane
west,Thane (M Corp.),Thane



Sub: Refusal of amendment in Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. Consent Amendment Application Unique Number : MPCB-
CONSENT_AMMENDMENT-0000020029
2. MPCB Circular dtd 25.8.2025

WHEREAS, this office is in receipt of your application for grant of amendment in Consent to Operate under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, as per MPCB Circular dtd 25.8.25 the said application for change in address of hospital can not consider. You have apply fresh application for obtaining consent to establish and operate for new location.

In view of above, considering the above noncompliance, your application for grant of amendment in Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments.

If you are aggrieved by this order, you may prefer on appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 days' time from the date of receipt of this letter.

Copy to:

1. Regional Officer, MPCB-Thane- for information.

