



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Authorisation/Renewal of Authorisation under Bio-Medical waste (management and handling) Rule, 1998

(To be submitted in triplicate to Sub-Regional Office/Regional Office/Head Office of the board)

From: SRL LIMITED,MULUND.

To :The Member secretary,
Maharashtra Pollution Control Board
Regional Office - Mumbai, Kalpataru Point, 3rd & 4th floor,
Sion Matunga scheme, Road no. 8,
Opp. Sion Circle, Mumbai - 400 022

1) Particulars of Applicant

i) Name of Applicant(in block letters and in full)

MR.SANJEEV ISSAR

ii) Name of institution

SRL LIMITED

Address of institution

SHOP NO.19,GOLDEN WILLOW,NEAR NES INTERNATIONAL SCHOOL,SWAPNANAGARI
,MULUND,WEST,MUMBAI-400080.

Telephone

9920573490

Fax

NA

Email

srlbom@srl.com

2) Activity for which authorization is sought

i) Generation

0

ii) Collection

0

iii) Reception

0

iv) Storage

0

v) Transportation

0

vi) Treatment

0

vii) Disposal

0

viii) Any other form of handing

NA

3) Please state whether applying for fresh authorization or for renewal

Fresh

In case of renewal, previous authorization no.

NA

In case of renewal, previous authorization date

Jan 1, 1900

4) i) Address of the institution handling Bio Medical Waste

SMS ENVOCLEAN PVT.LTD.

ii) Address of the place of treatment facility

SMS ENVOCLEAN PVT.LTD.

iii) Address of the place of disposal of facility

SMS ENVOCLEAN PVT.LTD.

5) i) Mode of transportation (if any) of Bio Medical Waste

SMS ENVOCLEAN PVT.LTD.

ii) Modes of treatment

SMS ENVOCLEAN PVT.LTD.

7) i) Category (see schedule I) of waste to be handled

ii) Quantity of waste (categorywise) to be handled per month. (Kg/month)

Waste sharps

4

Solid Waste

4

8) Declaration

I do hereby declare that the statements made and information given above are true to the best of my knowledge and belief and that I have not concealed any information.

I do also hereby undertake to provide any further information sought by the prescribed authority in relation to these rules and to fulfill any conditions stipulated by the prescribed authority.

Annexure

Existing

0

New

0

Altered

0

(1) (a) Type of institution

PATHOLOGY LAB

(b) Is the firm registered

No

Registered as

Pathological Laboratory,

(c) If registered, Give the registration number

Pathological Laboratory

Date of registration

May 23, 2018

The authority with whom registered

Pathological Laboratory

The authority with whom registered

Pathological Laboratory

(2) No. of beds

0

(3) No. of patients treated per month

300

(4) No. of animals treated per month

0

(5) No. of animals slaughtered per month

0

(6) No. of samples analysed per month

0

(7) Population of town/city where the Institution is located

350000

(8) (a) Total capital investment of the project

1750000

(b) Amount of fee paid

(c) Demand draft no.

Demand draft date

Jan 1, 1970

Bank drawn on

(d) MPCB receipt no.

Receipt date

Jan 1, 1970

(9) Total quality of waste generated per month

8kgm

(10) Total quantity of BIO Medical Waste generated as per Bio Medical Waste management and handling, Rules 1989:

Name of waste	Quantity per month	Category	Mode of storage	Brief description of method of treatment and disposal
Category No 4	4	Category No 4	RED/YELLOW BAGS	SMS ENVOCLEAN PVT .LTD
Category No 6	4	Category No 6	RED/YELLOW BAGS	SMS ENVOCLEAN PVT .LTD

(11) Quantity and source of water for

	Quantity per month	Category
a) Process (m3/d)	0	0
b) Domestic use (m3/d)	0	0
c) Other (m3/d)	0	0

(12) Sewage and trade effluent discharge

a) Quantum of discharge (m3/d)

0

b) Is there any effluent treatment plan

No

d) Is terminal facility provided by local body

No

e) Are facilities available with the applicant for carrying out the following tests of the water

	Already	Proposed
i) Physical	No	No
ii) Chemical	No	No
iii) Bacteriological	No	No
iv) Toxicological	No	No

g) Characteristics of final effluent

i) pH

0

ii) Suspended solids (mg/l)

0

iii) Total dissolved solids (mg/l)

0

iv) Oil and grease (mg/l)

0

v) Chemical oxygen demand (mg/l)

0

vi) Biochemical Oxygen demand(BOD)(mg/l)

0

vi) Parameters of self monitoring

0

Frequency of self monitoring

0

h) Mode of disposal and final discharge point such as into river, creek, sea, nalla, municipal sewer or over land

0

13) Pertaining to stack (chimney) and vent emissions

a) No. of stacks

0

Height

0

Diameter

0

No. of vents

0

Height

0

Diameter

0

b) Quality of stack emissions from each of the stacks particulate matter and sulphur dioxide(SO₂) (mg/m³)

0

Quantity of stack emissions from each of the stacks particulate matter and sulphur dioxide(SO₂) (mg/m³)

0

c) A brief account of the air pollution control unit for emission control

0

d) Parameters of self monitoring

0

Frequency of self monitoring

0

14) Incinerator details

a) Combustion efficiency

0

b) Temperature of primary chamber

0

c) Temperature of secondary chamber

0

d) Particulate matter (mg/Nm³) at (12% CO₂: Correction)

0

e) Nitrogen oxides

0

f) HCL (ppm)

0

g) Stack height(Mts)

0

h) Stack diameter(Mts)

0

i) Type of fuel used

0

j) Volatile organic compounds in ash(%)

0

k) Details of pollution control devices installed/retrofitted with the incinerator,if any

0

15) Autoclave details

a) Type	Temperature	Pressure	Residence time
Autoclave Gravity flow	0	0	0
Autoclave Vaccum	0	0	0

Others please specify

a) Type	Temperature	Pressure	Residence time
0	0	0	0

b) Results of vaidation test

i) Spore testing

0

ii) Routine test

0

16) Microwave details

a) Type/Make

0

b) Results of efficacy test

0

c) Results of routine test

0

17) Deep burial details

a) Dimensions of trench or pit

0

b) Location of deep burial site

0

Place	Date	Designation
MULUND	May 22, 2018	AUTHORIZE

Task Flow Recommendations

MPCB-Officers

Recommendations

Shri. Devidas P. Koparkar (SRO-Mumbai IV) on 29-06-2018 11:24:56

Visit and Process

Mrs.Smita Sanap (Smita Vanave) (FO-Mumbai IV) on 06-09-2018 16:58:56

Applied for fresh authorization for pathology HCE has submitted membership of CBMWSTDF, Paid fees of Rs.7500/- we may grant authorization.

Shri. Devidas P. Koparkar (SRO-Mumbai IV) on 10-09-2018 11:21:21

we may grant authorization.

J. B. SANGEWAR (RO-Mumbai) on 10-09-2018 14:42:06

put up

Mrs. Meena Pawar (FO-Mumbai) on 10-09-2018 15:26:02

Applied for fresh authorization for pathology HCE has submitted membership of CBMWSTDF,not submitted form D /shop & Establishment permission issued by MCGM. Paid fees of Rs.7500/- considering recommendation of SRO we may grant authorization to HCE subject to condition HCE shall submit form D /NOC from local body