

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02382- 299645

Fax: -

Website: <http://mpcb.gov.in>

Email: [srolatur@mpcb.gov.in](mailto:srolatur@mpcb.gov.in)



Sub Regional Office,  
Maharashtra Pollution  
Control Board, Plot NO. P-  
10, Latur Udyog Samuh  
Building, MIDC Latur

No. BO/MPCB/SRO/Refusal/UAN  
No.0000164370/CR/2304000671

Date: 12/04/2023

To,  
M/s OmSai Hi-Tech Netayala  
L I C Office Behind Malik Complex, Degloor Road  
Udgir Tq. Udgir, Dist. Latur, L I C Office Behind Malik  
Complex, Degloor Road Udgir Tq. Udgir, Dist. Latur  
Udgir, Latur-Latur



**Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:** 1. Your application for grant of Consent to Operate (Renewal) (UAN No. MPCB-CONSENT-0000164370)  
2. This office letter dtd. 27.03.2023

WHEREAS, this office is in receipt of your application for grant of Consent to operate (renewal) under section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board office has issued a descrepenses letter under ref. 1 regarding submission of clarification about operating Hospital without obtaining valid BMW authorization since 31.03.2022, Submit Valid copy of BNH Certificate, copy of annual report regarding disposal of BMW to CBMWTSDf, submit treatment arrangement for domestic/Hospital waste effluent (i.e. from OT, Storage Room & lab) and their disposal, Submit Photographs for Separate Storage room for storage of BMW before delivered to Facility as per CPCB guidelines, whether you are having laundry activity OR Not, Submit CA Certificate including cost of land. Also, submit last year balances sheet for the cost of land, Building Plant & Machinery. submit last six months' water bill for use of water, whether you are having DG set then submit capacity and its fuel with quantity. However, as per the new Circular for applicability of Consent dtd. 04.02.2022 HCFs less than 51 beds shall be levied penal fees for not obtaining CCA (Consent to establish, Operate /Renewal) w.e.f. December 2021 so it is require to pay additional consent fees of Rs. 15000.0 for C to E OR Confirm whether consent fees of Rs. 15000.0 shall be recover from paid fees out of Rs. 30000/- Site plan & Lay out Plan etc. Reply submitted along with lay out Plan, Existing BMW authorization which was valid up to 31.03.2022 and acknowledgment copy for obtaining BNH. except clarification about operating Hospital without obtaining valid BMW authorization since 31.03.2022, CA certificate including cost of land, Valid BNH Certificate copy of annual report regarding disposal of BMW to CBMWTSDf, submit treatment arrangement for domestic/Hospital waste effluent (i.e. from OT, Storage Room & lab) and their disposal, Submit Photographs for Separate Storage room for storage of BMW before delivered to Facility as per CPCB guidelines, whether you are having laundry activity OR Not, Submit CA

Certificate including cost of land. Also, submit last year balances sheet for the cost of land, Building Plant & Machinery. submit last six months' water bill for use of water, whether you are having DG set then submit capacity and its fuel with quantity. However, this office has again requested through e-mail on 27.03.2023 for submission of above information/ pointwise reply to letter dtd. 13.03.2023 by 29.03.2023 through E-mail on 27.03.2023. But reply from your end yet not received.

AND WHEREAS, in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

**For and on behalf of the  
Maharashtra Pollution Control  
Board.**

  
**Parmeshwar Vishwambhar Kamble**  
**Sub Regional Officer Latur**



**Copy to:**

1. Regional Officer, MPCB-Aurangabad- for information, please.
2. Sub Regional Officer, MPCB-Latur- for information. You shall communicate to the applicant and Initiate Legal Action against HCE including Proposal to Impose ECC through Legal Module.