

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R4)

Date: 25/07/2024

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT_AMMENDMENT-0000013237/CO/2407000095

To,
Lubrizol India Private Limited,
Plot No. C - 9/3, Turbhe, Thane- Belapur Road, Navi
Mumbai, Dist. Thane.



Your Service is Our Duty



Sub: Grant of amendment in Consent to Operate, under RED category.

Ref:

1. Previous Consent to Operate accorded by the Board vide No. Format 1.0/ CAC/ UAN No. 000010361/CO-2110000148 dated 05.10.2021.
2. Minutes of 3rd Consent Appraisal Committee meeting held on 17.05.2024.

Your application No.MPCB-CONSENT_AMMENDMENT-0000013237 Dated 23.03.2024

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/01/2025**
2. **The capital investment of the project is Rs.352.8691 Crs. (As per C.A Certificate submitted by industry Existing Rs. 317.74 Crs + Expansion/ Increase in C.I. - Rs. 35.13 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Chemical additives inclusive of Metal Working Oil Additives, Antioxidants, Corrosion Inhibitors, Detergent Additives, Dispersant Additives, Extreme Pressure Additives, Viscosity Index Improvers, Pour Point Depressants and Flow Improvers	5000	MT/M
2	Nitrogen	1500	MT/M
By Products			
3	Hydrochloric Acid (Up to 33%)	770	MT/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<i>Sr No</i>	<i>Description</i>	<i>Permitted (in CMD)</i>	<i>Standards to</i>	<i>Disposal Path</i>
1.	Trade effluent	635	As per Schedule -I	CETP
2.	Domestic effluent	75	As per Schedule - I	20 CMD recycled for gardening and remaining discharged into CETP

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

<i>Sr No.</i>	<i>Stack No.</i>	<i>Description of stack / source</i>	<i>Number of Stack</i>	<i>Standards to be achieved</i>
1	S-1	Steam Boiler (20 TPH)	1	As per Schedule -II
2	S-2	Steam Boilers (10 & 12 TPH)	1	As per Schedule -II
3	S-3	M-1000 Dispersant Hot oil Boiler	1	As per Schedule -II
4	S-4	DG Set (1010 KVA)	1	As per Schedule -II
5	S-5	DG Set (1010 KVA)	1	As per Schedule -II
6	S-6	ZDDP flare	1	As per Schedule -II
7	S-7	H. B. Phenate H2S Flare	1	As per Schedule -II
8	S-8	Hot Oil Boiler M-350A & M-350B	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	Garbage	750	MT/A	NA	NMMC dumping ground
2	Wooden-scrap	250	MT/A	NA	Sale to Scrap Merchant
3	MS-Scrap	400	MT/A	NA	Sale to Scrap Merchant
4	Aluminium-scrap	5	MT/A	NA	Sale to Scrap Merchant
5	Cable cutting scrap	70	MT/A	NA	Sale to Scrap Merchant
6	Rubber item scrap	10	MT/A	NA	Sale to Scrap Merchant
7	SS Scrap	10	MT/A	NA	Sale to Scrap Merchant
8	FRP scrap	5	MT/A	NA	Sale to Scrap Merchant
9	Broken laboratory glassware & window panes	2	MT/A	NA	Sale to Scrap Merchant
10	Air suction filters of compressors / blowers	1	MT/A	NA	Sale to Scrap Merchant

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
11	Rubber gaskets, packing material, transmission belts, Teflon gaskets.	2	MT/A	NA	Sale to Scrap Merchant
12	Discarded hot insulation (LRB, Glass wool)	25	MT/A	NA	Sale to Scrap Merchant
13	Paper Raddi waste	6	MT/A	NA	Sale to Scrap Merchant
14	Packing-material	6	MT/A	NA	Sale to Scrap Merchant

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	1600	MT/A	Incineration/ Recycle	Sale to authorised party / CHWTSDf
2	5.2 Oil soaked chemical waste/ sludge from storage tank or drums/ oil contaminated glass wool & aluminium claddings	150	MT/A	Recycle/ Incineration/Co-processing	Sale to Auth. Party/ CHWTSDf/Send to co-processing through authorized pre-processor
3	5.2 Waste oil stored in MS drums or tank	500	MT/A	Incineration/ Recycle	Sale to authorised party / CHWTSDf
4	6.4 Boiler Soot	6	MT/A	Incineration/ Recycle	Sale to authorised party / CHWTSDf
5	20.1 Light ends	100	MT/A	Recycle/ Incineration/Co-processing	Sale to Auth. Party/ CHWTSDf/Send to co-processing through authorized pre-processor
6	20.3 Residue containing solvent	250	MT/A	Recycle/ Incineration/Co-processing	Sale to Auth. Party/ CHWTSDf/Send to co-processing through authorized pre-processor
7	33.1 Aerosol Cans	5000	Nos./Y	Incineration/ Recycle	Sale to authorised party / CHWTSDf

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
8	33.1 Empty Drums	22000	Nos./Y	Incineration/ Recycle	Sale to authorised party / CHWTSDF
9	33.1 Used empty sample bottles/ Carboys/ Tins/ Bags	75	MT/A	Recycle	Sale to authorised party / CHWTSDF
10	35.3 Chemical sludge from waste water treatment	400	MT/A	Secured Landfill	CHWTSDF
11	20.4 Waste filter cake is stored in bins / bags	3250	MT/A	Recycle/ Incineration/ Co-processing/Secured Landfill	Send to Lubrizol India Private limited Taloja for recovery/ Sale to Auth. Party / CHWTSDF/Send to co-processing through authorized pre-processor
12	Waste filter pads stored in bags or bins	550	MT/A	Recycle/ Incineration/Co-processing	Sale to Auth. Party/ CHWTSDF/Send to co-processing through authorized pre-processor
13	Spilled spoiled raw material stored in bags	50	MT/A	Incineration/ Recycle/Secured Landfill	Sale to authorised party / CHWTSDF
14	Scrap Asbestos sheet	70	MT/A	Secured Landfill	CHWTSDF
15	Empty paint cans or tins	10000	Nos./Y	Incineration/ Recycle	Sale to Auth. Party/ CHWTSDF
16	Scrap generated during painting	10	MT/A	Recycle/ Incineration/Co-processing	Sale to Auth. Party/ CHWTSDF/Send to co-processing through authorized pre-processor
17	Welding rod scrap	2	MT/A	Secured Landfill	CHWTSDF
18	Activated charcoal and silica gel from air handling units	5	MT/A	Recycle/ Incineration/ Secured Landfill	Sale to Auth. Party/ CHWTSDF
19	Solid waste from soft water treatment plant at boiler	10	MT/A	Incineration/ Secured Landfill	CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
20	Sodium Hydrogen Sulphide Solution (upto 35%)	4800	MT/A	Recycle/ Incineration/Co-processing	Sale to Auth. Party/ CHWTSD/ Send to co-processing through authorized pre-processor

8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Used Lead acid batteries	600.00	Nos./Y	Sale to Auth. Party/ Recycler
2	Dry torch cells	2500.00	Nos./Y	Sale to Auth. Party/ Recycler

Specific Conditions for used Batteries:

- The applicant shall ensure that used batteries are not disposed of in any manner
- other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
 - The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
 - Bulk consumers to their user units may auction used batteries to registered recyclers only.

9. **Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Plastic pallet scrap	5.00	MT/A	Sale to Auth. Party/ Recycler/ Returned to Supplier
2	Thermocol packing material	5.00	MT/A	Sale to Auth. Party/ Recycler
3	Plastic waste	30.00	MT/A	Sale to Auth. Party/ Recycler

10. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Scrap Mercury vapor lamp / CFL/ Tube lights	5.00	MT/A	Sale to Auth. E waste Recycler/ Handler
2	E-waste	15.00	MT/A	Sale to Auth. E waste Recycler/ Handler

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- Industry shall operate and maintain STP & ETP so as to achieve Consented standards
- Industry shall recycle/ reuse 20 CMD treated sewage for secondary/ utility, gardening purpose and discharge remaining into CETP for further treatment & disposal.

15. Industry shall submit plan to reduce water consumption by increasing recycle of treated effluent within 15 days.
16. Industry shall extend all the existing Bank Guarantees towards operation & maintenance of pollution control systems and towards compliance of Consent conditions.
17. Industry shall comply with the Board's Circular dtd. 20.02.2020 and adopt cleaner fuel in place of Furnace Oil or make provision of Scrubber for controlling SO₂ emission.
18. This Consent is issued with the overriding effect on earlier Consent to Operate accorded by the Board vide No. Format 1.0/ CAC/ UAN No. 000010361/CO-2110000148 dated 05.10.2021.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	718507.20	TXN2105002028	27/05/2021	Online Payment

Balance amount of Rs. 3,43,212/- of previous Consent No. Format 1.0/BO/CAC-Cell/EIC No. NM-5999-15/14th CAC-6592 dtd. 18/05/2016 will be considered at the time of next application.

Copy to:

1. Regional Officer, MPCB, Navi Mumbai and Sub-Regional Officer, MPCB, Navi Mumbai
 - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant of the designed capacity 600 CMD consisting of Oil separator, Primary treatment & Bio areators for the treatment of 635 CMD industrial effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5 to 9.0
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	100 mg/l
(4)	Total Suspended solids	100 mg/l
(5)	Total Dissolved solids	2100 mg/l
(6)	COD	250 mg/l
(7)	Phenol	1 mg/l
(8)	TAN	50 mg/l

- C] The treated effluent shall be discharged into CETP for further treatment & disposal. There shall not be any discharge outside the factory's premise.
2. A] As per your consent application, you have proposed to upgrade existing STP of designed capacity 90 CMD based on MBR technology for the treatment of 75 CMD of sewage.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD	Not to exceed	30 mg/l
2	SS	Not to exceed	100 mg/l

- C] The 20 CMD treated sewage shall be recycled for gardening within premise and remaining shall be discharged into CETP for further treatment & disposal. In no case, sewage shall find its way outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	600.00
2.	Domestic purpose	105.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	825.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	100

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Steam Boiler (20 TPH)	Stack	30.00	PNG 20000 SCM/Day	-	SO2	-
				LSHS/ FO/ LDO 20 MT/Day	4.5	SO2	1800 Kg/Day
S-2	Steam Boilers (10 & 12 TPH)	Stack	30.00	PNG 12000 SCM/Day	-	SO2	-
				LSHS/ FO/ LDO 24 MT/A	4.5	SO2	2160 Kg/Day
S-3	M-1000 Dispersant Hot Oil Boiler	Stack	30.00	PNG 1000 SCM/Day	-	SO2	-
				LDO 3 MT/Day	1.8	SO2	108 Kg/Day
S-4	D.G. Set (1010 KVA)	Acoustic Enclosure	30.00	HSD 209 Kg/Hr	1	SO2	100 Kg/Day
S-5	D.G. Set (1010 KVA)	Acoustic Enclosure	30.00	HSD 209 Kg/Hr	1	SO2	100 Kg/Day
S-6	ZDDP Flare	Stack	31.80	LPG 10 Kg/Hr	-	-	-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-7	H.B. Phenate H2S Flare	Stack	33.00	LPG 20 Kg/Hr	-	-	-
S-8	Hot Oil Boilers M350A & M350B	Stack	30.00	LDO 2 MT/Day	1.8	SO2	72 Kg/Day
				PNG 4000 SCM/Day	-	-	-

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	CTO Amendment	500000	Existing	Towards O&M of pollution control systems and compliance of the Consent conditions	31.01.2025	31.05.2025
2	CTO Amendment	200000	Existing	Submission of Board Resolution for towards increase in investment without obtaining Consent from M.P.C. Board thus violated the provisions of the Environmental Laws and in future they will not do such violations	31.01.2025	31.05.2025
3	CTO Amendment	500000	Existing	Carrying out third part detailed study for control of VOC emission from 300 tanks	31.01.2025	31.05.2025

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
4	CTO Amendment	200000	Existing	Installation of separate STP & upgrading of existing ETP capacity	31.01.2025	31.05.2025
5	CTO Amendment	200000	Existing	Installation of Biogas plant/ Composting plant	31.01.2025	31.05.2025

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

- The waste generator shall.-
 - take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
 - not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
- All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
- All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
- Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.

5. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
6. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
7. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
8. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
9. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
 1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.
Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.
 2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
 3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
 4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
 5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.

6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDf.
 7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
 8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDf.
 9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
 10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDf.
 11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
10. The Energy source for lighting purpose shall preferably be LED based
 11. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
 12. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
 13. The applicant shall maintain good housekeeping.
 14. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 15. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

16. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
17. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
18. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
19. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
20. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
21. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
22. The PP shall provide personal protection equipment as per norms of Factory Act
23. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
24. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
25. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
26. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
27. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
28. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
29. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
30. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

31. The industry should not cause any nuisance in surrounding area.
32. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
33. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
34. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
35. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
36. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
37. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
38. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
39. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
40. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
41. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
42. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.
