

MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE, BHIWANDI

Tel: (0251) 2310167/2310212
Fax: (0251) 2310192
Website: <http://mpcb.gov.in>
E-mail: srobhiwandi@mpcb.gov.in



Siddhivinayak Sankul,
3rd & 4th Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

No: Refusal/ SRO-BHIVANDI/BMW_AUTH/2605000123

Date: 11 / 05 / 2026

To,

M/s. KOHINOOR CHILDRENS HOSPITAL

Om Shiv Apt, Angaon, Bhiwandi Wada road,

Tal. Bhiwandi, Dist. Thane-421302

Sub: - Refusal of BMW authorization under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

Ref: - 1. Your CCA application UAN No. MPCB-BMW_AUTH-0000022658
2. Scrutiny letters issued by SRO Bhiwandi vide dtd: 28.06.2019, 30.01.2020, 06.06.2020 & 20.06.2020

Sir,

You have applied for BMW authorization for your unit as per the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Your application has been scrutinized, this office has issued query letter on 28.06.2019, 30.01.2020, 06.06.2020 & 20.06.2020 but hospital authority has failed reply for the same and not submitted additional fees and not submitted Bombay nursing home registration certificate.

In view of above your BMW authorization hereby rejected.

S.S. Patil
11/05/2026

(S.S. Patil)

Sub Regional Officer, Bhiwandi

Copy to-

Regional Officer, Kalyan – For information.