

MAHARASHTRA POLLUTION CONTROL BOARD SUB-REGIONAL OFFICE – SATARA.

Phone No. 02162-233527
Fax No. 02162-233527
E-mail-
srosatara@mpcb.gov.in



Administrative Building,
2 nd Floor, Behind S. T.
Stand Sadar Bazar,
Satara 415 001.

Red/S.S.I.

Date: 26/08/2019.

Consent order No: SRO-SATARA/BMW-AUTH/ 1908000387
SRO-SATARA/CONSENT-1908000695

To,

M/s. Ankur Maternity and Nursing Home,
Dr. Mahendra Rajendra Gandhi,
5593, Near Mahavir Sthambha, Phaltan,
Tal-Phaltan, Dist-Satara.

Subject: Combined Consent to Operate and BMW Authorization under Red Category to Health Care Establishment (HCE).

Your Application: MPCB-CONSENT- 0000074573 & MPCB-BMW AUTH-0000022887.

For: Combined Consent to Operate and BMW Authorization under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous & other Wastes (M, H & T M) Rules 2016 and Biomedical Waste (Management) Rules 2016, as amended is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

- The combined consent to operate and BMW authorization is granted for a period upto 31/01/2021.
- The actual capital investment of the Health Care Establishment is Rs. 46.00 Lakhs (As per Undertaking submitted by applicant)
- The Combined Consent is valid for the Activity of -


| Sr. No. | Activity | Beds |
|---------|---------------------------|---------|
| 1 | Health Care Establishment | 24 Nos. |

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr. no. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|---------|-------------------|---------------------------------------|--------------------------|--|
| 1. | Trade effluent | Nil | As per Schedule -I | The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only. |
| 2. | Domestic effluent | 0.5 | As per Schedule -I | |

- Conditions under Air (P& CP) Act, 1981 for air emissions:

| Sr. No. | Description of stack/ source | Number Of Stack | Standards to be achieved |
|---------|------------------------------|-----------------|--------------------------|
| -- | --- | --- | --- |



6. Conditions under Hazardous & other Wastes (M, H & T M) Rules 2016 for treatment and disposal of hazardous waste:

| Sr. No. | HW category | Type Of Waste | Quantity | UOM | Treatment | Disposal |
|---------|-------------|---------------|----------|-----|-----------|----------|
| -- | -- | -- | -- | -- | -- | -- |

7. Non-Hazardous Solid Wastes:

| Sr. No. | Type Of Waste | Quantity | UOM | Treatment | Disposal |
|---------|---------------|----------|-----|-----------|----------|
| -- | -- | -- | -- | -- | -- |

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the Hospital.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. This consent is issued subject to conditions mentioned below,

- i) The "authorized Person" Director Administrator of M/s. **Ankur Maternity and Nursing Home** shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- iii) You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st January every year.
- iv) You shall manage the **Mercury Waste** in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".

FOR AND ON BEHALFOF M.PC.BOARD



(L.S.Bhad)

Sub-Regional Officer, Satara

Fees Received:-

| Sr. No. | Amount (Rs) | Transaction No. | Date |
|---------|-------------|-----------------|------------|
| 1 | 4,500/- | TXN1904000740 | 07/04/2019 |
| 2 | 3,000/- | TXN1906000523 | 07/06/2019 |
| 3 | 3,750/- | TXN1904000741 | 07/04/2019 |
| 4 | 1,250/- | TXN1906000531 | 07/06/2019 |

Schedule-I

Terms & Conditions for compliance of Water Pollution Control

1) Trade Effluent :

- A) **Treatment:** The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

-----NA-----

- B) **Effluent Disposal:** The treated trade effluent shall be recycled to the maximum extent and remaining shall be used on land for gardening. For this sufficient land shall be made available. In no case, at any time effluent shall find its way to any water body directly or indirectly. -----NA-----

- C) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated sewage effluent to the following standards.

- (1) Suspended Solids Not to exceed 50 mg/l.
(2) BOD 3 days 27° C. Not to exceed 30 mg/l.

Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.


- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 3) The Hospital shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 5) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption. In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

II) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

| Sr. No. | Purpose for water consumed | Water Consumption quantity CMD |
|---------|--|--------------------------------|
| 1. | Domestic purpose | 1.0 |
| 2 | Processing whereby water gets polluted & pollutants are easily biodegradable | Nil |
| 3 | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | Nil |
| 4 | Industrial Cooling, boiler feed etc., | Nil |

As per Ministry of Environment, Forest and Climate Change New Delhi, Notification dtd. 16 March 2018, you shall provide Sewage Treatment Plant upto 31 December 2019.



Schedule-II

Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) to observe the following fuel pattern-

| Sr. No. | Stack Attached To | APC System | Height in Mtrs. | Type Of Fuel | Qty. | UOM | S% | SO2 Kg/day |
|---------|-------------------|------------|-----------------|--------------|------|-----|----|------------|
| -- | -- | -- | -- | -- | -- | -- | -- | - |

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

| | | |
|--------------------|---------------|------------------------|
| Particulate matter | Not to exceed | 150 mg/Nm ³ |
|--------------------|---------------|------------------------|

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).


Schedule-III

D) Terms & Conditions for compliance of Biomedical Waste Management

The "authorized Person" Administrator of M/s. Ankur Maternity and Nursing Home shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.

1. The combined consent is granted for generation and disposal of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No. | Category | Description | Quantity not to exceed (Kg/Y) | Segregation Colour coding | Treatment & Disposal |
|---------|----------|--|-------------------------------|---|---|
| 1 | Yellow | Human Anatomical waste Category-1 | 240 | Yellow | Incineration |
| | | Soiled Waste Category-6,7 | 300 & 240 | Yellow | Incineration |
| | | Expired or Discarded Medicine Category-5 | 12 | Yellow | Incineration |
| | | Chemical Liquid Waste Category-8 | - | Separate collection system leading to ETP | -- |
| | | Clinical Laboratory Waste | - | Yellow | Incineration |
| 2 | Red | Contaminated Waste (Recyclable) | - | Red | Autoclaving followed by shredding |
| 3 | White | Waste Sharps Category-4 | 144 | Blue / white translucent | Disinfection (chemical treatment)and mutilation / shredding |



| | | | | | |
|---|------|-----------|---|--------|---|
| 4 | Blue | Glassware | - | Yellow | Disinfection/Autoclaving and sent for recycling |
|---|------|-----------|---|--------|---|

No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility i.e. M/s. Jai Bhavani Bio-Medicare Systems, G-170, MIDC Baramati, Dist-Pune authorized by MPCB.

3. (i) BMW shall not be mixed with other wastes or reused or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III of BMW Rules 2016.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) Necessary protective wear for the waste handlers shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCFs) as well as its storage in accordance with the Hazardous waste (Management & Handling) Rules (presently these Rules has to be read as Hazardous & other Wastes (M, H & T M) Rules 2016 and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCFs.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No. 4. Above
4. (i) You shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
- (ii) You shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (iii) All records shall be subject to inspection and verification by the prescribed authority at any time.
5. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
6. You shall submit valid registration copy of Bombay Nursing Home Act to Board.
7. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.



Schedule-IV : Bank Guarantee

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. **Ankur Maternity and Nursing Home**.

As per Board circular No. MPCB/PSO/BMW/B-1825 Dated. 10 April 2013. You shall submit following bank guarantees to Regional Office, M. P. C. Board, Pune within a 15 days, which valid upto Combined Consent and Authorization validity period to ensure the compliance of following conditions :

| Sr. No. | Activity / Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|---|---|------------------------------|-----------------------|
| I (A) | Operation and Maintenance | | |
| 1 | To Segregate and Handle BMW as per conditions of authorization/BMW Rules | Continuous | 25,000/- |
| I (B) | Records | | |
| 1 | To Maintain Record of BMW and submission of Annual Report in Form-II before 31 st January. | Continuous | 15,000/- |
| II | Performance | | |
| 1 | To provided Separate BMW storage facility | Continuous | 25,000/- |
| Bank Guarantee Total Amount of Rs. | | | 75,000/- |


Note-

- i) The above Bank Guarantee shall be submitted by the applicant at the Regional Office, M.P.C. Board, Pune within 15 days period of the date of issue of Combined Consent and Authorization (CCA).
- ii) The Bank Guarantee(s) shall be valid up to Combined Consent and Authorization validity period.

Schedule-V General Conditions

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Hospital should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

- 7) The Hospital shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous & other Wastes (M, H & T M) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The Hospital should comply with the Hazardous & other Wastes (M, H & T M) Rules 2016 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous & other Wastes (M, H & T M) Rules 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Hospital shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and Hospital specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 12) The Hospital shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Hospital should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Hospital should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 17) The Hospital should not cause any nuisance in surrounding area.
- 18) The Hospital shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 65 dB (A) during day time and 55 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.



- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The Hospital will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The Hospital shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The Hospital shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The Hospital shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

—0000—

