

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0251-2310212
0251-2310167
Fax: 0251-2310192
Website: <http://mpcb.gov.in>
Email: rokalyan@mpcb.gov.in



Maharashtra Pollution
Control Board,
Sidhivinayak Sankul, 3rd
and 4th Floor, Station
Road, Kalyan (West)

No. BO/MPCB/RO/Refusal/UAN
No.0000037826/CR/2607000124

Date: 14/07/2026

To,
Vicco Laboratories
C-20, Plot No. C-20 MIDC Phase I Dombivali,
Kalyan, Thane



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application for grant of Consent to Operate (Renewal) (UAN No. MPCB-CONSENT-0000037826)

WHEREAS, this office is in receipt of your application for grant of Consent to operate (renewal) under section 26 of the Water (P & CP) Act, 1974 & under section 21 of the Air (P & CP) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, you have not applied for combined consent to operate format. You shall apply in combined consent format for change of trade effluent disposal path.

AND WHEREAS, in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (P & CP) Act, 1974 and Section 21 (4) of the Air (P & CP) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. Sub Regional Officer, MPCB-Kalyan I- for information. You shall communicate to the applicant.