

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712-2560152

Fax: -

Website: <http://mpcb.gov.in>

Email: [sronagpur2@mpcb.gov.in](mailto:sronagpur2@mpcb.gov.in)



Udyog Bhavan , 6th floor ,  
Near Sales Tax Office, Civil  
Line , Nagpur - 440 001

**GREEN/S.S.I (G46)**

**Date: 30/01/2026**

**No:- Format1.0/SRO/UAN No.MPCB-  
CONSENT\_AMMENDMENT-0000019198/CR/260100019**

**2**

**To,**

**M/s. Vaidya Industries**

**Kh.No. 89/A/5, Besa-Ghogli Main Road, Beltarodi, Tah.  
& Dist-Nagpur.**



**Sub: Grant of Amendment of Consent to Operate Under Green Category.**

**Ref:** Previous Consent No. SRO/UAN  
No.MPCBCONSENT-0000255991/CR/2508003909 dtd 29/08/2025 valid upto  
30/11/2028.

Your application No.MPCB-CONSENT\_AMMENDMENT-0000019198 Dated 03.01.2026

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to renewal is granted for a period up to 30/11/2028**
- The capital investment of the project is Rs.2.06 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 1.63 Crs + Expansion/Increase in C.I. - Rs. 0.43 Crs)**
- Consent is valid for the manufacture of:**

<b>Sr No</b>	<b>Product</b>	<b>Maximum Quantity</b>	<b>UOM</b>
Products			
1	Dual Desk Bench	10001	No/M
2	Chairs	10000	No/M
3	Office Table	10000	No/M
4	Book Cases	10000	No/M
5	Filling Cabinet	10000	No/M
6	Steel Cot	10000	No/M
7	Steel Shelving Rack	10000	No/M
8	Writting Board	10000	No/M
9	Iron Kadai	500000	No/M
10	Stainless Steel Dekchi	500000	No/M
11	Steel Cup Board	10000	No/M



<b>Sr No</b>	<b>Product</b>	<b>Maximum Quantity</b>	<b>UoM</b>
12	Steel Trunk	10000	No/M
13	Steel Locker	10000	No/M
14	Dining Table	10000	No/M
15	Stainless Steel Garbage Bin	500000	No/M
16	Garbage Bin	100000	No/M
17	S.S. Compartmental Tray	500000	No/M
18	Stainless Steel Glass	500000	No/M
19	Stainless Steel Spoon	500000	No/M
20	Stainless Steel Jug	500000	No/M
21	Stainless Steel Food container	500000	No/M
22	Weighing scale	100000	No/M
23	Stainless Steel Cutter & Peele	500000	No/M
24	Stainless Steel Mug	500000	No/M
25	Stainless Steel Bucket	500000	No/M
26	Stainless Steel Thali	500000	No/M

(Without heat treatment & surface treatment like electroplating, pickling, galvanizing, powder coating & phosphating)

**4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<b>Sr No</b>	<b>Description</b>	<b>Permitted (in CMD)</b>	<b>Standards to</b>	<b>Disposal Path</b>
1.	Trade effluent	0.00	As per Schedule -I	Not Applicable
2.	Domestic effluent	0.80	As per Schedule - I	Soaked in soak pit

**5. Conditions under Air (P& CP) Act, 1981 for air emissions:**

<b>Sr No.</b>	<b>Stack No.</b>	<b>Description of stack / source</b>	<b>Number of Stack</b>	<b>Standards to be achieved</b>
1	0	NA	0	As per Schedule -II

**6. Non-Hazardous Wastes:**

<b>Sr No</b>	<b>Type of Waste</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	SS Scrap	100	Kg/M	Nil	Sale to scrap dealer

**7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<b>Sr No</b>	<b>Category No./ Type</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1		0	--NA--	NA	NA

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent. (Operate/Renewal)
11. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH) as per Circular dtd 24/03/2021.
12. This Consent is issued with an Overriding effect on earlier Renewal of Consent to Operate granted by Board vide no. SRO/UAN No.MPCBCONSENT-0000255991/CR/2508003909 dtd 29/08/2025 valid upto 30/11/2028.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



**Received Consent fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	15000.00	TXN2508000096	01/08/2025	Online Payment
2	1500.00	TXN2508005982	29/08/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur II
  - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

**SCHEDULE-I**  
**Terms & conditions for compliance of Water Pollution Control:**

1. A] Generation - As per your application the treated effluent generation is Nil.  
 B] Treatment - NA  
 C] Disposal - NA
2. A] NA  
 B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

<b>Sr.No</b>	<b>Parameters</b>	<b>Standards (mg/l)</b>	
1	Suspended Solids	Not to exceed	100
2	BOD 3 days 27°C	Not to exceed	30

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0.0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

### **SCHEDULE-II**

#### **Terms & conditions for compliance of Air Pollution Control:**

- As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

<b>Stack No.</b>	<b>Source</b>	<b>APC System provided/proposed</b>	<b>Stack Height(in mtr)</b>	<b>Type of Fuel</b>	<b>Sulphur Content(in %)</b>	<b>Pollutant</b>	<b>Standard</b>
1	NA		0.00	-	-	-	-

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

<b>Sr. No.</b>	<b>Consent(C2E/C2O/C2R)</b>	<b>Amt of BG Imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Compliance Period</b>	<b>Validity Date</b>
			NA			

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

**# Existing BG obtained for above purpose if any may be extended for period of validity as above.**

#### **BG Forfeiture History**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>Amount of BG imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Amount of BG Forfeiture</b>	<b>Reason of BG Forfeiture</b>
			NA			

#### **BG Return details**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>BG imposed</b>	<b>Purpose of BG</b>	<b>Amount of BG Returned</b>
			NA	

**SCHEDULE-IV**  
**General Conditions:**

1. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
2. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
3. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
4. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
5. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
6. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
7. The Energy source for lighting purpose shall preferably be LED based
8. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
10. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.

---

**This certificate is digitally & electronically signed.**

---