

MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE, BHIWANDI

Tel: (0251) 2310167/2310212

Fax: (0251) 2310192

Website: <http://mpcb.gov.in>

E-mail: srobhiwandi@mpcb.gov.in



"Your Service is our Duty"

Siddhivinayak Sankul,
3rd & 4th Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

No: MPCB/SRO-Bhiwandi/ Refusal/SRO-BHIVANDI/BMW_AUTH/2605000088

Date: 08 / 05 / 2026

To,

Sanjivani Multispecialty Hospital,

Survey No. 140/19, Opp Purna Bus Stop, Next To TJSB Bank , Purna Village

Tal: Bhiwandi Dist: Thane.

Sub: - Refusal of BMW authorization under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and not to operate the plant till obtaining permission of the Board.

Ref: - 1 Your application for BMW authorization having UAN No. MPCB-BMW_AUTH-0000041334

Sir,

You have applied for BMW authorization for your unit as per the provisions of Section 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

Your application has been scrutinized. However, 1) You have not submitted Bombay nursing home act registration. 2) You have not submitted CBMWTSDF Membership. 3) You have submitted incomplete application, 4) You have not submitted scrutiny Letter reply. Till date you have not submitted the reply.

In view of above your BMW authorization hereby refused.

(S.S. Patil)

Sub Regional Officer, Bhiwandi

Copy to-

Regional Officer, Kalyan – For information.