

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02162-233527/ 237789  
Fax: 02162-233527  
Website: <http://mpcb.gov.in>  
Email: [srosatara@mpcb.gov.in](mailto:srosatara@mpcb.gov.in)



New Administrative  
Building, 2 nd Floor, Behind  
S. T. Stand Sadar  
Bazar, Satara-415001

No. BO/MPCB/SRO/Refusal/UAN  
No.0000135587/CE/2206000143

Date: 03/06/2022

To,  
Shree Surgical Hospital  
Tal- Khatav Dist -Satara, At Post Vaduj  
Khatav, Satara-Satara



Your Service is Our Duty

**Sub: Refusal of Combined Consent to Operate and BMW Authorization (CCA) under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:**

1. Your application for grant of Consent to Establish (UAN No. MPCB-CONSENT-0000135587)
2. Your application for BMW Authorization (UAN No. MPCB-CONSENT-MPCB-Authorization-0000042923)

AND WHEREAS, Board office has issued letter vide reference (2) above in which asked to submit the information regarding 1) Details of Effluent treatment plant along with flow diagram for domestic and industrial effluent. 2 Detail layout plan of factory premises. 3 Water budgeting showing water consumption for each process and effluent generation include consumption and generation for domestic purpose. 4 PAN Card copy of Industry 5 Aadhaar card or PAN card copy of authorized person 6 Location plan /site map showing surrounding village/human habitation, town, river, sea shore, road etc. 7) As per earlier consent CI was Rs.6.04 lakh. Now at the time consent to operate CI is Rs. 3.0 lakh. There is decreasing in CI by Rs.3.00 lakh. Please submit the clarification / justification for increase in CI.

AND WHEREAS, you have failed to submit the reply to the letter even sufficient & reasonable opportunity given for the submission of same and in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of Consent to Establish is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

**Copy to:**

1. Regional Officer, MPCB Pune

