

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0241-2470852

Fax : 0241-2470852

Email : sroahmednagar@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub - Regional Office, Hall No - 2 & 3, Savitribai Fule Vyapari Sankul, Near TV Center Savedi, Ahmednagar - 414 003.

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 7 (4) 1998 and amendments thereon 2016]

- I. File number of authorisation and date of issue
MPCB / SRO AHMEDNAGAR / BMW_AUTH / 1904000117 Date - 08/04/2019
A-273
- II. M/s. Shri Biroba Clinic & Hospital is hereby granted an authorisation for generation of biomedical waste on the premises situated
Dr. Bhawet Dashrath Dighe
Loni Road, Talegaon Dighe
Tal. Sangamner, Dist. Ahmednagar
- III. This authorisation shall be in force for a period up to 30-04-2022.
An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds: 04 Nos (Four Bed)

Terms and Conditions of authorization -

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer Authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

MPCB-BMW_AUTH-21617



Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1.	Cat-1 Human Anatomical Waste.	2	Kg/M	Bio Medical Waste Shall be sent to Common BMW Treatment & Disposal Facility authorized by MPCB.
2.	Cat-2 Animal Waste.	—	Kg/M	
3.	Cat-3 Microbiology & Biotechnology Waste.	—	Kg/M	
4.	Cat-4 Waste Sharps.	3	Kg/M	
5.	Cat-5 Discarded Medicines & Cytotoxic Waste.	4	Kg/M	
6.	Cat-6 Solid Waste.	6	Kg/M	
7.	Cat-7 Solid Waste.	4	Kg/M	
8.	Cat-8 Liquid Waste.	—	Lit/D (KL/M)	The Liquid Waste shall be disinfection by chemical treatment & not discharge into the drainage system provided by local body OR Shall sent same to MPCB Authorized CBMWTSDF Facility.
9.	Cat-9 Incineration Ash.	—	Kg/M	CHWTSDF Landfill site.
10.	Cat-10 Chemical waste.	—	Ltr/M	The Chemical Waste shall be disinfection by chemical treatment using at least 1% hypochlorite solution or any other equivalent chemicals reagent & not discharge into drains for liquids & secured land fill for solids OR Shall sent same to MPCB Authorized CBMWTSDF Facility.

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment &

MPCB-BMW_AUTH- 21517




9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
- (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
- (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor



and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

(V) **Validation test: Spore testing.** – The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

(VI) **Routine Test.** — A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

15. This authorisation should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

16. This Board reserves the right to review, amend, suspend, revoke etc. this consent/authorisation and the same shall be binding on the HCE.

For and on behalf of the
Maharashtra Pollution Control Board


(Ajit V. Patil)

Sub Regional Officer, Ahmednagar.

To,

The Applicant,

Authorization Fees Received: -

Sr. No.	Amount	Transaction number	Transaction Date
1.		NH	

Copy Submitted to:-

1. Chief Accounts Officer, MPCB Board Mumbai.
2. Regional Officer, MPCB, Nashik.

MPCB-BMW_AUTH- 21517

