

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psob@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

No. BO/MPCB/PSO/Refusal/UAN
No.0000191698/CE/2405001956

Date: 22/05/2024

To,
MOHAMMED ENTERPRISES
SR. NO. 111,URULI KANCHAN
HAVELI,Pune-Pune



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Your application for grant of Consent to Establish UAN No. MPCB-CONSENT-0000191698 dated 25/12/2023
 2. Scrutiny letter issued by SRO Pune-I dated 14/02/2024
 3. SCN for refusal dated 10/05/2024

WHEREAS, this office is in receipt of your application for grant of Consent to Establish under section 25 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016.

AND WHEREAS, you have applied for consent to establish for production of Rope (Cotton and Plastic), Surgical and Medical products not involving effluent/emission.

AND WHEREAS, You have applied under R14 category which belongs to the Common Biomedical Waste Treatment Facility and the proposed activity does not come under Common Biomedical Waste Treatment facility activity.

AND WHEREAS, the activity proposed by you is not allowed as per Bio-Medical Waste Management Rules,2016 Rule 7 "Treatment and Disposal" on following criteria :

1. Occupier shall hand over segregated waste as per the Schedule-I to common bio-medical waste treatment facility for treatment, processing and final disposal: Provided that the lab and highly infectious bio-medical waste generated shall be pre-treated by equipment like autoclave or microwave.
2. No occupier shall establish on-site treatment and disposal facility, if a service of `common biomedical waste treatment facility is available at a distance of seventy-five kilometer.

AND WHEREAS you have failed to submit the reply to SCN for refusal dated 10/05/2024

In view of above, your application for grant of Consent to Establish is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances.

Copy to:

1. Regional Officer, MPCB-Pune- for information, please.
2. Sub Regional Officer, MPCB-Pune I- for information. You shall communicate to the applicant.

