

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 02525-276334/273314

Fax : --

Email : Srotarapur2@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



M.I.D.C Office Compound, Tarapur,
Post TAPP, Boisar (W),
Tal. & Dist. Palghar-401504.

Green/S.S.I

Date: 29.05.2018

Consent No: SRO-TARAPUR II/CONSENT_AMMENDMENT/1805000024

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.

[To be referred as Water Act, Air Act-and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Axiom Cordages Ltd.
House No.463, Gut No.114/120/D,
Mahagaon Road, Village Betegaon,
Boisar, Tal & Dist-Palghar

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to:31.08.2023
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	PP, HDPE, Nylon & Polyester, Ropes and Yarn	8000	MT/M

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not be Nil.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 2.8 M3.
- (iii) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- | | | | |
|-----------------------|---------------|-----|-------|
| (1) Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

SRO-Tarapur-II/G/S/0000031093



1 | Page

(iv) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(v) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	Yarn Waste	2.0	MT/M	Reuse in process/Sale to party
2	Metal Scrap	4.0	MT/A	Sale to party
3	Drums	50	Nos./Y	Sale to party

(viii) **Other Conditions:** Industry should monitor effluent quality regularly.

4. **The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

- (i) Domestic purpose ... 4.00 CMD
- (ii) Water gets Polluted & Pollutants are Biodegradable ... 0.00 CMD
- (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic ... 0.00 CMD
- (iv) Industrial Cooling, spraying in mine pits or boiler feed ... 2.00 CMD
- (v) Gardening ... 4.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT : Nil**

- (i) The applicant shall install a comprehensive control system consisting of control equipment's as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. **Control Equipment:**

- (i) Adequate fume extraction system followed by dust collector of sufficient capacity shall be provided at all dust generating locations and shall be operate properly.
- (ii) There shall not be any secondary (fugitive) emission.

6. **Conditions for D.G. Set: Nil**

7. **Standards for Stack Emissions:**

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
		-----Nil-----	

(ii) The applicant shall erect the chimney(s) of the following specifications:-



Sr. No.	Chimney Attached To	Height in Mtrs.
	-----Nil-----	

- (iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) **Other Conditions:**

The industry should not cause any nuisance in surrounding area.

8. CONDITIONS UNDER HAZARDOUS AND OTHER WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2016:

Industry shall not generate any type of hazardous wastes.

9. Industry shall comply with following additional conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non-hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipment's provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air

Tarapur-II/G/S/0000031093



pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
10. **This Consent to Operate is issued subject to overriding effect of previous consent to operate, Vide No.SRO-Tarapur-II/Consent/170900839, dtd.22.09.2017.**
11. **The Capital investment of the industry is Rs. 18.40 Crs.**
12. **Board reserves right to revoke, suspend or amend the consent issued.**
12. **This consent should not be construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.**

For and on behalf of the
Maharashtra Pollution Control Board

(D.K.A Rajput)

Sub-Regional Officer Tarapur II

To,
M/s. Axiom Cordages Ltd.
House No.463, Gut No.114/120/D,
Mahagaon Road, Village Betegaon,
Boisar, Tal & Dist-Palghar



Received Consent fee of:-

Sr. No.	Description	Transaction number	Amount(Rs.)	Date
1.	Consent Fees	TXN1708000051	100000	01.08.2017