

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24014701/24020781
Fax : 24024068/24023516
Website: <http://mpcb.gov.in>
E-Mail: jdair@mpcb.gov.in



KALPATARU POINT, 3rd Floor,
Sion-Matunga Scheme Rd. No.8,
Opp. Sion Circle, Sion (East),
Mumbai-400 022.

RED/MSI

Consent No. BO/JD(APC)/ Amendment/UAN No. 1725/R/CC-^{G10(A)} Date: 16/07/2019

Amendment in Renewal of Consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

[To be referred as Water Act, Air Act and H&OW(M & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Garware Wall Ropes Limited
Plot No. C-13, MIDC Wai,
Tq. Wai, Dist. Satara.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(MH&TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The renewal of Consent to operate is granted for a period upto:31/05/2022.

2. The Consent is valid for the Manufacturing of –

Sr. No.	Product Name	Maximum Quantity	UOM
1	Installation of Boiler- 8 TPH (Coal & briquettes fuel base) for dry Stream generation	65856	MT/A

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed Nil.
(4.0 CMD blow down water shall be recycled in the process)
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 2.0 CMD.

(iii) Trade Effluent Treatment: Nil.

(iv) Trade Effluent Disposal: N.A.

(v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- (1) Suspended Solids Not to exceed 100 mg/l.
(2) BOD 3 days 27° C. Not to exceed 30 mg/l.

(vi) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	Disposal
1	Fly Ash	6.0 MT/day	Industry shall comply the

- (viii) **Other conditions:** The industry shall monitor effluent quality regularly.
4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules there under: The daily water consumption for the following categories is as under:

(i) Domestic	2.0 CMD
(ii) Industrial Processing	0.0 CMD
(iii) Industrial Cooling/Boiler feed	202.0 CMD
(iv) Agriculture/Gardening	0.0 CMD
(v) Other	0.0 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

A) Control Equipment:

1. Fume extraction followed by cyclone dust collection system provided to sources of TPM/SPM shall be operated & maintained properly & continuously.
2. There shall not be any secondary (fugitive) emissions.

B) Standards for Emissions of Air Pollutants:

(i) SPM/TPM	Not to exceed	150 mg/Nm ³
(ii) SO ₂	Not to exceed	120 Kg/Day

C) Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- g. D.G. Set shall be operated only in case of power failure
- h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

D) The applicant shall observe the following fuel pattern:-

Sr. No	Type of fuel	Quantity	UOM
1	Coai	40.0	Ton/day
Industry shall use beneficiated coal having ash contain less than 34% and comply the MoEF & CC notification dtd.02/01/2014 and amended in hereof.			
Or			
1	Briquettes	48.0	Ton/day

E) The applicant shall erect the chimney(s) of the following specifications:-

Sr.No.	Chimney attached to	Height in Mtrs.
1	Boiler	30.50

- (i) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted /displayed to facilitate identification.
- (ii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

F) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.

6. CONDITIONS UNDER HAZARDOUS & OTHER WASTE (M &TM) RULES, 2016:

(i)The applicant shall handle hazardous waste as specified below:-

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
Nil	Nil	Nil	Nil	Nil

(ii)The authorization is here by granted to operate a facility for collection, storage, transport & disposal of hazardous waste.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. General conditions:

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.

- (iii) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.** The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September every year.
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
- (vi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- (vii) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- (viii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- (ix) The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- (x) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
9. **This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.**
10. **The steam generated from this Plant (Plot No. C-13) shall be utilized in the process of the group of industry i.e 0.5 TPH Steam generated to unit M/s. Garware Wall ropes Ltd, Plot No. C-14, MIDC Wai, Tal. Wai, Dist. Pune and remaining Steam generated to Unit M/s. Garware Wall ropes Ltd, Plot No. C-1, MIDC Wai, Tal. Wai, Dist. Pune.**
11. **Industry shall incorporate quantity of Steam utilized form this Plant (Plot No. C-13) in the consent of M/s. Garware Wall ropes Ltd, Plot No. C-14, MIDC Wai, Tal. Wai, Dist. Pune and M/s. Garware Wall ropes Ltd, Plot No. C-1, MIDC Wai, Tal. Wai, Dist. Pune.**
12. **Industry shall extend existing Bank Guarantee of Rs.5.0 Lakhs in the Regional Office-Pune within 15 days with validity upto 31/05/2022 towards compliance of MoEF & CC Notification dtd.02/01/2014 about use of Coal having ash contents less than 34% and MoEF & CC notification dtd.16/01/2016 about utilization of fly /bottom ash.**
13. **Industry shall extend existing Bank Guarantee of Rs.5.0 Lakhs submitted toward Operation and maintenance of pollution control system. Bank**

Guarantee shall be submit in favor of regional Officer, Pune valid for period upto 31/05/2022.

14. This amendment in consent is issued with overriding effect of earlier consent to operate granted by Board vide No.BO/JD(APC)/O/EIC No. PN- /CC/811 dtd.20/05/2017 valid upto 31/05/2022.
15. Total Capital investment of industry is Rs.8.84/- crore.

For and On Behalf of the
Maharashtra Pollution Control Board,


(Dr. V.M. Motghare)
Joint Director (Air Pollution Control)

To,
M/s. Garware Wall Ropes Limited
Plot No. C-13, MIDC Wai,
Tq. Wai, Dist. Satara.

Copy to:

- 1) Regional Officer, MPCB, Pune / 2) Sub-Regional Officer, MPCB, Satara.

They are directed to obtain the BG as per consent condition & submit the performance report along with the monitoring results within one month period.

- 3) Chief Accounts Officer, MPCB, Mumbai
Existing consented fee details -

Sr. No.	Amount(Rs.)	Transaction	Bank Name	Date
1	Rs.1,25,000/-	NEFT	HDFC	19/12/2016