

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: (02482) 220120
Fax: (02482) 220120
Website: <http://mpcb.gov.in>
Email: srojalna@mpcb.gov.in



Plot No. P-3/1 & 3/2, Add.
MIDC, Phase-II, Jalna,
Jalna-Chh. Sambhajinagar
Road, Near Hotel Adarsh
Palace, Jalna-431203

No. BO/MPCB/SRO/Refusal/UAN
No.0000160886/CO/2606000097

Date: 11/06/2026

To,
Gaikwad Hospital
Chatrapati Colony, Shahu Nagar Beed,
Tal. Dist. Beed.



Sub: Refusal of amendment application under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Your application for grant of amendment application vide No. MPCB-CONSENT_AMMENDMENT-0000020287, dated 17-04-2026.
 2. Board has granted CCA vide No:- Format1.0/RO/UAN No.0000284719/CO/2604001869, dated 17-04-2026.

WHEREAS, this office is in receipt of your application for grant of amendment under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board granted CCA vide No:- Format1.0/RO/UAN No.0000284719/CO/2604001869, dated 17-04-2026 which is valid up to 26-03-2027 and at the time Board has consider your fees as per Board policy. AND WHEREAS, this office has refused your amendment application due Board has already granted Consent for CCA with considering all fees.

In view of above, considering the above noncompliance, your application for grant of amendment is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981. You are hereby directed not to take any effective steps towards operation of the unit without permission of the Board, else Board will initiate legal action as per the provisions of Environmental enactments.

Copy to:

1. Regional Officer, MPCB-Chhatrapati Sambhajinagar- for information, please.

