

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 02162-233527

Fax : 02162-233527

Email : srosatara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



"Your Service is our Duty"

Administrative Building,  
2<sup>nd</sup> Floor, Behind S.T. Stand,  
Sadar Bazar, Satara-415001



Green/S.S.I

Date: 01/01/2022

Consent No: SRO-SATARA/CONSENT/ 2201000001

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2016.

[To be referred as Water Act, Air Act and HW (M&TM) Rules respectively].

.....  
CONSENT is hereby granted to

M/s. Shree Ganesh Dal and Basen Mill,  
Gat No-166,A/P Shirwal,  
Tal:Khandala, Dist: Satara.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to: 31/08/2027.

2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
01	Dal & Basen	120	MT/Day
02	Husk, Bran	30	MT/Day

### 3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall be Nil

(ii) The daily quantity of sewage effluent from the factory shall not exceed 3.2 M<sup>3</sup>.

(iii) Trade Effluent : —N.A.—

(iv) Trade Effluent Disposal: Nil

(v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- |     |                   |               |     |       |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids  | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

MPCB-CONSENT-0000126261



Page 1 of 4



- (vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

- (vii) **Non-Hazardous Solid Wastes:**

Sr. No	Type Of Waste	Quantity	UOM	Treatment	Disposal
01	Packing Material	10	MT/M	----	By Sale

- (viii) **Other Conditions:** Industry should monitor effluent quality regularly.

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

(i) Domestic	...	4.0 CMD
(ii) Industrial Processing	...	0.00 CMD
(iii) Industrial Cooling	...	0.00 CMD
(iv) Agriculture / Gardening	...	0.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT:**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
- (ii) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
SO <sub>2</sub> Process	Not to exceed	-

- (iii) **Control Equipment:**

Industry shall provide dust collector of sufficient capacity at all sources of dust emission.

**6. Standards for Stack Emissions:**

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
-----N.A.-----			

- (ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
-----N.A.-----		





- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) **Other Conditions:**
- 1) The industry should not cause any nuisance in surrounding area.
  - 2) The industry should monitor stack emissions and ambient air quality Regularly.
  - 3) The dust collector of sufficient capacity shall be provided to all the source of emissions

**7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2016:**

- (i) The Industry shall handle hazardous wastes as specified below.

Sr. No	Type Of Waste	Quantity	UOM	Disposal
Industry shall not generate any type of Hazardous Waste.				


- (ii) Treatment: - NIL

1. The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.
2. The industry should comply with the Hazardous Waste (M&H) Rules, 2016.
3. Whenever due to any accident or gas leakage or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Collector, Directorate of Industry, Safety and Health, Police Station, Fire Brigade, Directorate of Health Services, Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emission and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

**General Conditions –**

1. The applicant shall maintain good housekeeping & take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/habitants.
2. The applicant shall bring minimum 33 % of the available open land under green coverage/ plantation.
3. Solid Waste – The non – hazardous solid waste arising in the factory premises, sweepings etc. be disposed of scientifically so as not to cause any nuisance pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.

MPCB-CONSENT-0000126261



Page 3 of 4





4. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
5. The applicant shall make an application for renewal of consent at least 60 days before the date of expiry of the consent.
6. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean & safe environment in & around the factory premises.
7. The applicant shall comply with the conditions as stipulated under Annexure - I & II enclosed.
8. Board reserves the right to review, amend, suspend, revoke etc. this consent & the same shall be binding on the industry.
9. **This is without prejudice to any other permission required under any of the laws, by-laws or regulations in force.**
10. **This Board reserves the right to add/amend/revoke any condition in this consent and the same shall be binding on the applicant.**
11. **As per CPCB new industrial categorization dtd.07/03/2016, this unit comes under/Green/SSI category G-4 Sl.No.16.**
12. The Capital investment of the industry is 7.73 Cr.



For AND ON BEHALF OF M.P.C. BOARD

(L.S.BHAD)

SUB REGIONAL OFFICER,  
SATARA.

(When consent issuing authority is other than Member Secretary, State)

Name : Shri.L.S.Bhad

Designation : Sub Regional Officer, Satara

Office Address : 2nd Floor, Administrative Building, Behind ST Stand, Sadar Bazar, Satara.

To,

M/s. Shree Ganesh Dal and Basen Mill,  
Gat No-166,A/P Shirwal,  
Tal:Khandala, Dist: Satara.

Copy to:

- 1) Regional Officer, MPCB, Pune.
- 2) Chief Accounts Officer, MPCB, Mumbai

Received Consent fee of -

Sr. No.	Amount(Rs.)	Transaction number	Transaction Date
1	50,000/-	TXN2111002319	27/11/2021
2	15,000/-	TXN2112003167	27/12/2021

3) Cess Branch, MPCB.