

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 020 - 25811627
Fax: 020 -25811029
Website: <http://mpcb.gov.in>
Email: ropune@mpcb.gov.in



Jog Center, 3rd floor,
Mumbai Pune Road,
Wakdewadi, Pune - 411003.

RED/L.S.I

Date: 29/07/2026

No:- Format1.0/RO/UAN No.0000020966

To,
Cummins Technologies India Pvt Ltd.,
Recon India Division, Plot No A1, MIDC Survadi,
Phaltan-Lonand Road, Tal. Phaltan, Dist. Satara.



Sub: Amendment in Consent.

Ref: Earlier consent granted by Board vide No. No:- Format1.0/RO/UAN
No.MPCBCONSENT-0000282314/CR/2606001450 Date: 16/06/2026

Existing CI is Rs. 24.39 crs.

Grant of Amendment in Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the amendment in consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Following Amendment in Existing Consent :

Sr. No.	As per Existing Consent	Amended
1	SCHEDULE-II - DG Set 500 KVA - Stack Hight - 6 mtr	SCHEDULE-II - DG Set 500 KVA - Stack Hight - 9.5 mtr

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
- The applicant shall not carry out any excess production or produce new products without obtaining Consent of the Board and without obtaining Environmental Clearance wherever it applicable.
- The industry shall strictly follow Board Circular for Retro-Fitting of Emission Control Device (RECD) for in-use D.G. Sets vide no. MPCB/JD(APC)/NCAP/DG Set/B-0090 dtd. 02/06/2023.
- The applicant shall submit clarification in respect of capital investment with multi unit CA certificate (As per MPCB format) and audited balance sheet with in 10 days. , if required paid additional payment in next 7 days
- The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent.
- The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Copy to:

1. Sub-Regional Officer, MPCB, Satara
 - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC-CC desk - for record & website updation

