

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: <http://mpcb.gov.in>
Email:
roaurangabad@mpcb.gov.in



Paryavaran Bhavan, A -
4/1, MIDC Area ,
Chikalthana, Near Seth
Nandlal Dhoot Hospital,
Jalna Road , Chatrapati
Sambhaji Nagar - 431 210

No. BO/MPCB/RO/Refusal/UAN
No.0000015485/CR/2512000090

Date: 11/12/2025

To,
Shree Siddarameshwara Agro Industries,
Gat No 312 , Dakni
Tal Loha Dist Nanded.



Sub: Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref:

1. Your application for grant of Consent to Operate (Renewal) (UAN No. MPCB-CONSENT-0000015485)
2. The Sub Regional Officer's report dated 04.04.2025
3. MPC Board circular dated 25.08.2025

WHEREAS, this office is in receipt of your application for grant of Consent to operate (renewal) under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016. The Sub Regional Officer Nanded had reported that you have obtained Consent which is valid up to 30.09.2026 in which Quantity of Consumption of industrial effluent is 20 CMD and generation of same is 3.5 CMD, Quantity of water is used for cooling purpose is 5.0 CMD and Quantity of generation of domestic effluent is 1.8 CMD. Now, PP has applied for amendment in respect of Consumption of industrial effluent is 120.0 CMD instead of 20. CMD, For Cooling purpose is 6.0 CMD instead of 5.0 CMD.

AND WHEREAS ,MPC Board circular dated 25.08.2025 Amendment only for change in name, typographical error or change in hazardous waste pathway.

In view of above, your application for grant of Consent to Operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.

Copy to:

1. Sub Regional Officer, MPCB-Nanded- for information. You shall communicate to the applicant and Initiate Legal Action against industry including Proposal to Impose ECC through Legal Module.

