

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R58)
No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000164706/CR/2310000721

Date: 10/10/2023

To,
M/s. Cipla Ltd.
Plot No. A-33, A-37/2/2, Patalganga
Khalapur, Dist- Raigad



Sub: Grant of Combine Renewal of Consent to Operate & BMW Authorization

- Ref:**
1. Consent to Operate granted vide No. Format1.0/CAC/UAN No.0000131364/CR/2209001232 dated 19.09.2022
 2. BMW Authorization vide no. SRO-RAIGAD-I/BMW_AUTH/2102000327 dated 11.02.2021
 3. SEIAA letter No. SIA/MH/IND3/74514/2018 dated 17.11.2022
 4. Minutes of Consent Appraisal Committee meeting held on 07/7/2023

Your application No.MPCB-CONSENT-0000164706 Dated 10.03.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 30/04/2028**
2. **The capital investment of the project is Rs.171.84 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 206.05 Crs + Decrease in CI - Rs. 34.21 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
Formulation (Tablets, Creams, Powders, Syrups, Granules)					
1	Alergin/Acivir DT/400 DT/ 800 DT/ Azloy - 250/500	20000000000	0	20000000000	No/M
	Alerid/Ambitol 200/400/600/800				
	Asthalin 2/4/SA/Theo Asthalin 2.9/5/10/AT				
	Amlopaes- AT/2.5/5/10/Asthavent/SASR tablets				

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
1	Bendex 400/Beclate aquanase/Budenase AQ				
	Bendex 400/Beclate aquanase/Budenase AQ				
	Ciplar 10/40/80/H/Carduk 30/60/Bruflam-200/400				
	Ciplan/DS/Cettrizine/Caffeine Granules				
	Ciplox 100/250/500/750/Cipmax/Cipex				
	Ciplactin/Cheston DT				
	Co-Trimoxazole IP/Dosacard 1/2/4				
	Dyrade M/DS/Dilgard 30/60/Deworm/Diclo/Doxyne				
	Felogard-2.5/5/10				
	Fertomid/Febridol				
	Guplip/Granules/Glumet/Glygard				
	Hipres 50/100				
	Ibugesic200/400/600/Plus/M/Rheugesic				
	Ibuprofen 200/400/600				
	Kineta 400/100/Kelfer 250/500				
	Leporid/Larpose 1/2				
	Lansoprazole Pellets				
	Mucoline/Forte	20000000000	0	20000000000	No/M
	Mebex/Medazine-T/Metformine 500				
	Metolar H/Metoprolo Tenrate				
	Mefloquine Hydrochloride /Mefliam				
	Metoprolo Tenrate 500/100				
	Norflox 100/100DT/200/400/800/Nifelat 5/10				
	Nifelat Retard / Nifedipine Capsules				
	Roxee 150/300/pirox IT				
	Omeprazole/Propanol 10/40/80/Pixam-DT/Pseuddephdrine				
	Proflox/Pentoxifying 400 MF SR/Presolar/Paracetamol-500				
	Qinarol 300/600				
	Restyl 0.25/0.50/1.00/2.00/Roxy-300				
	Roxithromycin - 150/300/Rheugesic				
	Saflox/Sulphamoxale/Salbutamol 2/4				
	Senade/Zaart 25/30				
	Terfed Group/Trivedon 20				
Theobid 200/300/Trimethoprim & Sulphamethoxazole					
Ultac 150/300					
Uroneg 500/Surup 300 mg/ml/Azo Uroneg					

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Ointment/Cream					
2	Beclate N/C/S/Forte/Lotion	200	0	200	MT/A
	Micogel/F/beclogel				
	Pirox Gel/Acivir/Clozole				
	Clobate/N/Dermadine/Medaspur Vaginal				
	Ciplox Cream/Topcort				
	Cofenac Gel/Actiop				
	Provin Zoflut/Zeroflam				
	Fungicip				
3	Nasal Sprays (Vials)	50000000	0	50000000	Nos./Y
Bulk Drugs					
4	Acyclovir USP/ Valaciclovir HCL	12	0	12	MT/M
	Albuterol Sulphate USP XXII				
	Androstenediol/Androstenedione				
	Alprazolam USP/Budesonide/Alendronate Sodium Trihydrate				
	Amlodipine Besylate/ Azithromycin/Atenolol/Aluminium Nicotinate				
	16 Alpha Bromoepiandrosterone				
	Cetirizine Dihydrochloride/ Levo Cetirizine Dihydrochloride				
	Dehydroepiandrosterone/Fluoxetine Hydrochloride				
	Clarithromycin USP				
	Cyproterone Acetate/Chandonium Iodide				
	Danazol USP/IP/Doxazosin Mesilate				
	Trazodone Hydrochloride/Celinisartan				
	Defiriprone/Diclofenac Diethyl Ammonium Salt				
	Estramustine Sodium Phosphate				
	Felodipine Salometerol Xinafoate				
	Finansuride /Fluconazole				
	Fluoxetine/Fluticasone Propionate				
	Guggulipid/Terazosin Hydrochloride				
	Flurbiprofen BP/USP				
	Ketorolac Tromethamine/ Rafoxanide				
	Lansoprazole/Lamotrizine/Lorazepam BP				
	Leuprolide Acetate/Tamsulosin Hydrochloride				
	Mefloquine Hydrochloride/ Mirtazapine				
	Metoprolol Tartrate USP				
Methocarbamol USP					

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
4	Mocloemide/ Pefloxacin mesylate/Montelukast				
	Nifedipine/Fenbendazole/Felodipine				
	Norfloxacin/Enrofloxacin				
	Enrofloxacin hydrochloride				
	Ciprofloxacin				
	Ciprofloxacin HCL Monohydrate				
	Ondansetron Hydrochloride Dihydrate				
	Oxpentifylline/Piroxam USP/Pefloxacin Mesylate				
	Pregnenolol/Troventol Hydrochloride/Venlafaxine Hydrochloride				
	Propranolol Hydrochloride IP./ Praziquantal				
	Ranitidine Hydrochloride/Base/Roxithromycin				
	Salbutamol Sulphate BP/IP/ Terbutaline Sulphate BP/USP				
	Bambuterol Hydrochloride/ Trimetazidine Dihydrochloride				
	Selegiline Hydrochloride/ Levo Salbutamol Sulphate				
	Terfenadine USP	12	0	12	MT/M
	Telmisartan/ Irbesartan/Rupatadine				
	Atovaquone/ Defrisivox / Efavirin				
	Torsemide/Terbutylene Sulphate/Linaldomide				
	Levo Salbutamol Hydrochloride / Salbutamol				
	LevoCetirizine/Levetiracetam/Solifenacin				
	Perindopril Erbumine/ Escitalopram Oxalate				
	Ranotizine Dihydrochloride/ Ranolizine				
	Troventol / Venlafaxine Hydrochloride/ Estropipette				
	Pregablin / Repiglinide/ Armodafinil				
	Dorzolomide Hydrochloride/Moxifloxacin Hydrochloride				
	Rivastigmine Hydrogen Tartarate/ Bromonidine Tartarate				
	Guggelsterone/ Gattifloxacin				
Variconazole/ Valganciclovir					
Rimonabant/ Imiquimod					
Sumatriptan Succinate/ Rizatriptan Benzaote					

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
4	Mirtazapine/ Simvastatin/ Lopinavir	12	0	12	MT/M
	Ciclesonide/ Dutasteride				
	Tegaserod Maleate/Exemestane				
	Artesunate/ Artimether/ Lumefantrine				
	Thalidomide/ Tolterodine Tartarate				
	Desloratidine/ Lecarnadipine				
	Olmesartan Medoxionil/ Valsartan				
	Pregabalin/ Azelastin				
	Adefovir/ Abacavir/ Saquinavir Mesylate				
	Stavudine/ Zidovudine				
	Proparacaine HCL/ Alfuzosin Hydrochloride				
	Valacyclovir HCL/ Ropinirole HCL				
	Glatiramer Acetate/ Azelastin				
	Irinotecan Hydrochloride Trihydrate/ Odesmethylvenlafaxin				
Zanamavir/ Nelfinavir					

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	200	As per Schedule-I	Partly recycle 60 CMD & partly CETP 140 CMD
2.	Domestic effluent	60	As per Schedule-I	CETP

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	D.G. Set (1500 KVA)	1	As per Schedule -II
2	S2	D.G.Set (1010 KVA)	1	As per Schedule -II
3	S3	D.G. Set (625 KVA)	1	As per Schedule -II
4	S4	Scrubber - 101	1	As per Schedule -II
5	S5	Scrubber - 102	1	As per Schedule -II
6	S6	Scrubber - 103	1	As per Schedule -II
7	S7	Scrubber-104	1	As per Schedule -II
8	S8	Scrubber-201	1	As per Schedule -II
9	S9	Scrubber-301	1	As per Schedule -II
10	S10	Scrubber-302	1	As per Schedule -II
11	S11	Scrubber- PSL/SF/SCB-01	1	As per Schedule -II
12	S12	DG set- 125KVA	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	M.S. Scrap/Wooden Scrap/S.S. Scrap/Plastic Scrap/ Paper Scrap/ P.V.C Foil/Aluminium Foil/Misc. Scrap	300	MT/A	Sale	Sale to authorized party
2	Plastic Drum/M.S. Drum/Corrugated Boxes/Fiber Drums	75000	Nos./Y	In House Cleaning	Sale to authorized party

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	42	MT/A	Recycle	Sale to authorised party
2	5.2 Wastes or residues containing oil	6	MT/A	Incineration	CHWTSDF
3	28.1 Process Residue and wastes	300	MT/A	Incineration	CHWTSDF
4	28.2 Spent catalyst	80	MT/A	Landfill/ Recycle*	Sale to authorised party / CHWTSDF
5	28.3 Spent carbon	40	MT/A	Incineration	CHWTSDF
6	28.4 Off specification products	0.5	MT/M	Incineration	CHWTSDF
7	28.5 Date-expired products	0.5	MT/M	Incineration	CHWTSDF
8	28.6 Spent organic solvents	1560	MT/A	Incineration/ Recycle*	Sale to authorised party / CHWTSDF
9	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	300	No/M	Recycle*	Sale to authorised party
10	35.3 Chemical sludge from waste water treatment	238	MT/A	Landfill	CHWTSDF
11	37.3 Concentration or evaporation residues	50	MT/A	Landfill	CHWTSDF
12	33.2 Contaminated cotton rags or other cleaning materials	200	Kg/M	Incineration	CHWTSDF

* **Sale to Authorized Party having permission under Rule 9 of H&OW Rule**

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. Industry shall operate effluent treatment scientifically to achieve the consented norms
11. Industry shall dispose the Hazardous Waste as per the provision of H&OW Rule by adopting online manifest system.
12. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
13. This consent is issued as per the minutes of Consent Appraisal Committee Meeting held on 07/7/2023

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1410800.00	MPCB-DR-18136	28/03/2023	RTGS

Balance consent fee of Rs. 307600/- is considered in this application

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Raigad I
 - They are directed to ensure the compliance of the consent conditions.
 - They are directed to forfeit the bank guarantee of Rs. 2.5 Lakh & obtain top up with total sum of BG of Rs. 25 Lakh from the industry
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
- i) Strong COD/TDS stream of 30 CMD** - Treatment system comprising of Primary (Collection tank, Primary Clarifier/Primary Settling Tank, Primary after stnt) , Stripper followed by Multi effect evaporator (3 stage). The MEE condensate is treated in weak stream ETP.
- ii) Weak COD/TDS stream of 170 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter, Reverse Osmosis, Multi Effective Evaporator) with design capacity of 260 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Ammonical Nitrogen	100
(7)	Bio - Assay Test**	90% Survival of Fish after first 96 hours in 100% effluent
(8)	Benzene	0.1
(9)	Xylene	0.12
(10)	Methylene Chloride	0.9
(11)	Chlorobenzene	0.2
(12)	Phosphates as P	5
(13)	Sulphides as S	2
(14)	Phenolic Compounds	1
(15)	Zinc	5
(16)	Copper	3
(17)	Total Chromium	2
(18)	Hexavalent Chromium (Cr 6+)	
(19)	Cyanide (as HCN)	0.1
(20)	Arsenic	0.2
(21)	Mercury	0.01

Sr.No	Parameters	Standards (mg/l)
(22)	Lead	0.1
(23)	SAR	Less than 26 (applicable only for discharge on land)

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be partly (60 CMD) recycled for secondary purposes to the maximum extent and remaining 200 CMD shall be discharged to CETP after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.
2. A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
- B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	130.00
2.	Domestic purpose	90.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	290.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	70

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:


1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	D.G. Set (1500 KVA)	Acoustic Enclosure	5.00	HSD 303 Ltr/Hr	1	TPM	150 Mg/Nm ³
				PNG 330 SCM/Hr	-		
				Biofuel 303 Ltr/Hr	-	SO2	145.44 Kg/Day
S2	D.G.Set (1010 KVA)	Acoustic Enclosure	6.30	HSD 202 Ltr/Hr	1	TPM	150 Mg/Nm ³
				PNG 225 SCM/Hr	-		
				Biofuel 205 Ltr/Hr	-	SO2	96.96 Kg/Day
S3	D.G. Set (625 KVA)	Acoustic Enclosure	5.00	HSD 202 Ltr/Hr	1	TPM	150 Mg/Nm ³
				PNG 225 SCM/Hr	-		
				Biofuel 205 Ltr/Hr	-	SO2	96.96 Kg/Day
S4	Scrubber - 101	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S5	Scrubber - 102	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S6	Scrubber - 103	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S7	Scrubber-104	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S8	Scrubber-201	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S9	Scrubber-301	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S10	Scrubber-302	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S11	Scrubber-PSL/SF/SCB-01	Scrubber	9.00	-	-	Acid Mist	35 Mg/Nm ³
S12	DG Set (125 KVA)	Acoustic Enclosure	4.00	PNG 25 SCM/Hr	-	TPM	150 Mg/Nm ³
				Biofuel 20 Ltr/Hr	-		
				HSD 20 Ltr/Hr	1	SO2	9.6 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (unit)	
Total Particulate Matter	Not to exceed	150 mg/ Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
6. Solvent Management shall be carried out as follows:
 - a. Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
 - b. Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
 - c. The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
 - d. Solvents shall be stored in a separate space specified with all safety measures.
 - e. Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
 - f. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - g. All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
 - h. Fugitive emissions shall be controlled at 99.95% with effective chillers.
 - i. Solvent transfer shall be through pump.
 - j. Metering and control of quantities of active ingredients to minimize wastes.
 - k. Use of automatic filling to minimize spillage.
 - l. Use of close feed system into batch reactors.
 - m. Venting equipment through vapour recovery system.



SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	25 Lakh	Existing/Additional within 15 days	Towards O&M of Pollution Control System	30/4/2028	31/12/2028

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	C to R	25 Lakh	Existing	Towards O&M of PCS	2.5 Lakh	Towards JVS exceedance

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act 1948
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.
