

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/M.S.I

Date: 09/11/2024

No:- Format1.0/CC/UAN No.0000196172/CO/2411000438

To,

1. ,

(Owner)

Solapur Municipal Corporation, Solapur

2. S S Services

Survey Number 44, Municipal Solid Waste Dumping Ground, Old

Barshi Road, Bhogaon

(Operator)

North Solapur,

Solapur-413000

Email: ssservicessop@gmail.com

Contact No.: 9371100621

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board dated 13/03/2023
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 04/02/2024
 3. Aggrement between SMC and S.S. Services Solapur dated 05/01/2024
 4. SMC letter dated 31/01/2024
 5. Information called through mail dated 21/04/2024
 6. Visit report dated 23/04/2024.
 7. Information uploaded on 03/05/2024
 8. SRO Verification report of Third Party performance Audit dated 14/06/2024
 9. Minutes of 4th CC meeting 14/06/2024
 10. Minutes of Personal Hearing held on 22/07/2024
 11. SRO verification report w.r.t compliance of Personal Hearing dated 21/08/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Renewal of Combined Consent to Operate and BMW Authorization with change in operator to CBMWTSDF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-IV)** enclosed in this order.

1. This CCA shall be valid till 03/01/2026

2. The capital investment of the Plant is **₹319.84** Lakhs
3. Plant Area: - Plot Area 929.30 M² with Built-up area 278.00 M².
4. The Jurisdiction allocated for waste collection: A) Solapur Municipal Corporation B) Taluka Solapur, South Solapur, Akkalkot, Mangalwedha, Mohol. Madha, Karmala, Barshi of Dist. Solapur. C) Taluka- Sangola, Pandharapur and Malshiras of Dist. Solapur till establishment of new facility at Velapur, Dist. Solapur.
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
 1. You shall use the fuel for DG set and incinerator and provide the adequate air pollution control devices as specified to maintain the emissions from the stack attached to the incinerator and DG Set as specified in the **Annexure-II**.
 2. You shall provide adequate emission control system to DG set and incinerator as specified in **Annexure-II**.
 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	37.2 Ash from incinerator and flue gas cleaning residue	37.2	288	MT/A	Land filling
2	37.1 Sludge from wet scrubbers	37.1	8	MT/A	Land filling

8. Conditions under BMW Management rules 2016:-

You shall operate Treatment plant as below and shall comply with the operational conditions mentioned at Schedule-I.

Sr No	Treatment Technology	Installed Capacity	Operational Capacity/Day	Compliance of Standards
1	Incinerator	250	5000	As per Annexure II
2	Autoclave	400	6400	As per Annexure-III
3	Shredder	100	2000	-

Part A - Responsibility of Commissioner, Solapur Municipal Corporation (Owner of Facility):

- I. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.

- II. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- III. You shall ensure CBWTF shall operate online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .
- IV. You shall ensure CBWTF operator shall collect Bio Medical Waste regularly to treat and dispose Off within 48 hrs from generation.
- V. You shall ensure the CBWTF operator disposed of the Hazardous waste as per Hazardous Waste (M & TM) Rules, 2016.
- VI. You shall ensure the CBWTF operator is registered with the National Barcode System developed by CPCB and sends live data to CPCB for tracking of Bio-Medical Waste.
- VII. You shall ensure the facility operator shall operate the facility in compliance with applicable environmental enactments, Rules and CPCB guidelines.
- VIII. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.

Part B - Responsibility of S S Services (Facility Operator) :

- I. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
- II. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- III. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
- IV. You shall ensure collection, and segregation of BMW regularly to treat and dispose off within 48 hrs from generation.
- V. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
- VI. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
- VII. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
- VIII. You should monitor effluent quality, stack emissions and ambient air quality by third party NABL Accredited agency monthly/quarterly You shall conduct Dioxin Furan by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.

- IX. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of the pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- X. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- XI. You shall create the Environmental Cell led by an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
- XII. You shall submit the Annual Returns as per Bio Medical Waste Management Rules, 2016 and Hazardous Waste for the preceding year in Form-IV by 30th June of every year.
- XIII. You shall obtain necessary prior permission from the Board before transferring biomedical waste to a nearby facility during emergencies or shutdowns (lasting not more than 7 days). Additionally, you should have a signed Memorandum of Understanding (MoU) with the facility to which the waste is being sent.
- XIV. You shall implement the barcode system and ensure registered with the National Barcode System developed by CPCB and send live data to CPCB for tracking of Bio-Medical Waste.
- XV. You shall dispose of the Hazardous Waste as per the timeline stipulated in the Hazardous and Other Wastes (M & TM) Rules, 2016.
- XVI. You shall submit the Annual Report/Return Bio Medical Waste Management Rules, 2016 and (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
- XVII. You shall operate the facility in compliance with applicable environmental enactments, Rules and CPCB guidelines. noncompliance to the same may attract appropriate legal action.
- XVIII. You shall take all necessary steps to ensure that the bio-medical waste collected from the occupier is transported, handled, stored, treated and disposed of, without any adverse effect to the human health and the environment, in accordance with these rules and guidelines issued by the Central Government or, as the case may be, the central pollution control board from time to time.
9. You shall use only dedicated vehicles as detailed in Annexure-IV for collection and transportation of Bio-Medical waste within allocated Jurisdiction. Vehicles Authorized for BMW Collection shall strictly comply with this BMW Rules 2016 and CPCB/MPCB guidelines and Motor Vehicles act, 1988 (59 of 1988).
10. You shall collect the BMW Strictly complying with the Provisions of Schedule-I and Treatment & Disposal as specified in Schedule-I of BMW Rules, 2016 as amended.
11. You shall not collect outdated, discarded, unused cytotoxic drugs/waste generated in the Cancer research centers and health care establishments unless they are specifically marked with the symbol of Bio Hazard & Cytotoxic Hazard.
12. You shall collect and dispose-off the Mercury Waste from HCE as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
13. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 and Consent to Establish from the MPC Board.
14. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this authorization.
15. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding upon you.
16. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
17. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) Act 1981 shall attract provisions of respective act including closure of the facility and prosecution.

18. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
19. You shall comply with the recommendation of the third-party performance audit within Three months failure to do the same attracts appropriate legal action.
20. Any violation of Environmental enactments, Rules, CPCB guidelines and conditions of this CCA may attract revocation of this CCA without further notice.
21. The penal fee of Rs. 3166 has been imposed and deducted from the paid consent fees for failing to obtain Consent to Establish and Operate from the Board, effective from the date of possession of the facility (03/01/2024) to the date of application.
22. The CBWTF shall create an Environment Cell by appointing an Environmental Engineer / Expert to look after day-to-day activities related to Environment / Pollution control.
23. The penal fee of Rs. 3166 has been imposed and deducted from the paid consent fees for failing to obtain Consent to Establish and Operate from the Board, effective from the date of possession of the facility (03/01/2024) to the date of application.
24. You shall submit a representation regarding the rates to be charged for the transportation, treatment, and disposal of biomedical waste to the DLMC. These rates will take effect upon approval from the DLMC.
25. You shall submit a BG of Rs. 8.00 lakh as specified in Schedule III to the Regional Officer, MPCB, Pune within 15 days. Nonsubmission of BG in a specified time shall attract 12% interest on BG amount as per Boards circular dated 29/02/2024.
26. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2402000350	04/02/2024	Online Payment
2	17500.00	TXN2406002934	15/06/2024	Online Payment

Rs. 44,334 remain with Board and may consider at the time of Next Renewal.

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
 - Regional Officer, MPCB, Pune directed to ensure the submission of the Bank Guarantee by CBWTF as specified in Schedule III of CCA. if failed to submit within stipulated period impose & recover 12% interest as per Board Circular dated 29/02/2024.
 - Sub Regional Officer , Solapur directed to ensure the compliance of the CCA conditions. You shall submit the verification report w.r.t Third Party Performance audit after 3 Months.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	0.9	As per clause 'C'	100% Recycle
2	Trade effluent	3.6	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	Incinerator	Diesel	30.00 Ltr/Hr	30.00
2	DG Set (62.5 KVA)	Diesel	55.00 Ltr/Hr	1.80

2. You shall provide following Air pollution Control Devices (APCD) as stated at "C" below and shall observe the following operating conditions and emission standards:

- a. Operating Standards:-

i. Combustion efficiency (CE) shall be at least 99.00%.

ii. The Combustion efficiency is computed as follows;

% CO₂

C.E. ----- x 100

% CO₂ + % CO

iii. The temperature of the primary chamber shall be minimum 800°C, and of the secondary chamber shall be minimum 1050 ± 50°C.

iv. The secondary chamber gas residence time shall be at least 2 (Two) seconds at 1050 ± 50°C.

- b. Emission Standards:-

Sr.No.	Parameters	Limiting Concentration in mg/Nm³ unless stated
1	Particulate matter	50
2	Nitrogen Oxides	400
3	HCL	50
4	Total Dioxin & Furans	0.1 ngTEQ/Nm ³ (at 11% O ₂)
5	Hg & It's Compounds	0.05

- c. Essential Components of Incinerator to Meet emission standards of BMW Management Rules 2016:-

i. Secondary chamber-2 No.s (for 2 second residence time)

ii. Individual burner for primary & secondary chamber.

iii. Venturi scrubber having min. 600mm WC pressure drop with Recirculation pump and recirculation Tank.

iv. Activated carbon dosing for Dioxin removal.

v. ID fan having 900-1000 mm WC pressure drop.

- vi. Packed bed for scrubbing for gaseous pollutants with recirculation pump and recirculation tank.
- vii. Minimum stack height shall be 30 meters above the ground and shall be attached with the necessary monitoring facilities as per requirement of monitoring of general parameters as notified under the E (P) Act, 1986 and in accordance with the CPCB Guidelines of Emission Regulation Part-III.
- viii. Online OCEMS and Temperature recording for primary and secondary chamber with data logger and connectivity to MPCB and CPCB server.

d. General Requirements:-

- i. Volatile Organic Compounds in the incineration ash shall not be more than 0.01%.
- ii. The Operator shall provide ports in the chimney and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's staff. The chimneys shall be numbered as S-1, S-2 etc and these shall be painted / displayed to facilitate identification.
- iii. The operator shall monitor the stack gaseous emissions (under optimum capacity of the incinerator) of above mentioned parameters at least quarterly from the laboratory recognized under the Environment (Protection) Act, 1986 & NABL accredited and record of such analysis results shall be maintained and submitted to the prescribed authority. In case of dioxins and furans, monitoring should be done once in a year.

Note:-

- i. Wastes to be incinerated shall not be chemically treated with any chlorinated disinfectants.
- ii. Only low Sulphur fuel like Light Diesel Oil or Low Sulphur Heavy Stock or Diesel, Compressed Natural Gas, Liquefied Natural Gas or Liquefied Petroleum Gas shall be used as fuel in the incinerator.
- iii. You shall install continuous emission monitoring system for the parameters as stipulated by Central Pollution Control Board for CO₂, CO and O₂.
- iv. All monitored values shall be corrected to 11% Oxygen on dry basis.
- v. Incinerators (combustion chambers) shall be operated with such temperature, retention time and turbulence, as to achieve Total Organic Carbon content in the bottom ashes less than 3% or their loss on ignition shall be less than 5% of the dry weight.
- vi. The occupier or operator of a common bio-medical waste incinerator shall use combustion gas analyzer to measure CO₂, CO and O₂.

3. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
 - i. Provide one stack of height above roof level.
4. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Standards for Treatment and Disposal of "RED" Category (Autoclavable) Bio-Medical Waste
Standards for Waste Autoclave:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

1. When operating a vacuum autoclave, medical waste shall be subjected to a minimum of three pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - i. A temperature of not less than 121° C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes
2. Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
3. Recording of operational parameters: - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
4. Validation test: Spore Test: - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Geobacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^6 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, a temperature less than 121° C or a pressure, less than 15 psi. Test should be conducted at least once in every week & record in this regard shall be maintained.
5. Routine Test: A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved. Test should be conducted during autoclaving of each batch & record in this regard shall be maintained.

BMW Collection and Transportation

1. You shall use following dedicated, GPS enabled vehicles having separate compartments for storage as per colour coding, for collection & transportation of BMW. You shall provide login details of Vehicle Tracking system to the respective SRO, MPCB. Vehicle tracking data shall be stored in archive data for minimum period of 3 months.
2. Use of unauthorized vehicles other than mentioned below shall attract penal action. You shall obtain amendment to Authorization for any new addition or Deletion of the vehicles during the period of this CCA.

Sr. No.	Vehicle No.	Make & Model	Capacity (MT)	VTS (ID/IMEI)	Barcode (Yes/No)
1	MH 13 R 9074	piaggio (Cargo)	0.54	864943043187885	Yes
2	MH 13 AX 8347	Mahindra (MAH Alfa) (MAH Alfa)	0.45	864943043179692	Yes
3	MH 13 AN 6358	Piaggio (Xtra LD)	0.56	864445063966909	Yes
4	MH 13 DQ 0132	Mahindra (Jeeto Plus)	0.67	864943043232871	Yes
5	MH 13 DQ 3953	Maruti Suzuki (Super Carry)	1.20	864943043188610	Yes
6	MH 47 EO 0963	Piaggio (Ape Cargo)	0.56	864445063951505	Yes
7	MH 13 CU 8448	Mahindra (Jeeto Plus)	0.63	8644450640655560	Yes
8	MH 13 CU 0828	Maruti Suzuki (Super Carry)	0.79	864943043188420	Yes
9	MH 13 CT 7668	Bajaj (Maxima C)	0.47	864943043195706	Yes
10	MH13 AK 7690	Piaggio (Ape)	0.56	864943043189345	Yes
11	MH 45 AE 5284	Mahindra (Jeeto Plus)	0.67	864943043188040	Yes
12	MH 45 AF0371	Tata (ACW ZIP XL)	0.61	864943043233010	Yes

3. Body of the Vehicles used for BMW Transportation must be painted from outside with coloured symbol of BIOHAZARD and CYTOTOXIC as shown below, Label shall be NONWASHABLE and be prominently visible on both side of the vehicle body.



4. Name of CTF, Emergency Contact details and warning for safe handling during accident/spillage must be prominently mentioned on both sides of the vehicle must be mentioned on vehicle and must prominently visible.
5. Driver must have valid Driving license and trained to handle emergency.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Collection, Transportation, Treatment and disposal of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	12856.00	Yellow coloured non-chlorinated plastic bags.	Incineration.
		b) Animal Anatomical Waste	412.00		
		c) Soiled Waste	82896.00		
		d) Expired or Discarded Medicines	896.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	440.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	4160.00	Autoclave safe plastic bags or containers.	Incineration of Pretreated sterilized waste as per World Health Organization guidelines.
2	Red	Contaminated waste (Recyclable)	4480.00	Red coloured non chlorinated plastic bags or containers.	Sterilized plastic Biomedical waste shall be sent to MPCB authorized BMW plastic recycler.
3	White (Translucent)	Waste sharps including Metals	402.00	Puncture proof, Leak proof, tamper proof container.	Disinfected and mutilated sharps to be sent to MPCB authorized metal recycler.
4	Blue	a) Glassware	12900.00	Puncture proof, Leak proof with Blue coloured marking.	Chemically treated disinfected Glass/Metal waste to be sent to MPCB authorized recycler.
		b) Metallic body implants	62.00		

Responsibilities of CBWTF

1. You shall upgrade /Operate Common BMW Treatment Facility, in accordance with BMW Management Rules, 2016 as amended 2018 and CPCB guidelines issued time to time.
2. You shall ensure that all Health Care Establishments and Institutions generating BMW in your jurisdiction shall obtain membership of the Common Facility and CCA from MPCB and each HCE authorised shall hand over the waste to the Facility. Also ensure that records of the members are maintained properly.
3. You shall establish and implement bar code for waste collections and global positioning system enabled for vehicle tracking of bio-medical waste transport vehicle
4. You shall ensure Receipt, Treatment and Disposal of only segregated Bio-Medical Waste in colour coded bags from the HCEs within 48 hours from the generation.
5. You shall Supply non-chlorinated plastic coloured bags to the occupier as per mutual agreement
6. You shall ensure mandatory colour coded bins are used for source segregation of BMW by the HCEs and Institutions generating BMW.
7. You shall fix the charges for providing services to HCEs in consultation with local Medical Association. Any dispute regarding charges shall be resolved at District Advisory Committee under the Chairmanship of District Collector
8. The treated Plastic / Metal Waste shall be handed over to the Recycler authorized by MPCB for recycling of treated Bio Medical Waste, record shall be maintained.
9. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record of effectiveness thereof.
10. You shall undertake appropriate medical examination at the time of induction and at least once in a year and immunize all workers involved in handling of bio medical waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
11. You shall provide PPE as per norms of Factory Act 1948 and ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc.
12. You shall develop your own website. The website should be uploaded on periodically basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report, as directed time to time.
13. You shall maintain a log book for each of its treatment equipment according to weight of batch; categories of waste treated; time, date and duration of treatment cycle and total hours of operation and daily fuel/energy consumption.
14. You shall maintain all record for operation of incineration, autoclaving, shredding, hazardous Waste disposed and recyclable disposed for a period of five years and produce whenever asked by MPCB authorities.
15. The owner and operator of a common bio medical waste treatment facility both shall be liable for all the damages caused to the environment or the public due to improper management of bio-medical wastes.
16. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW collected and Disposed at Facility in Form IV for preceding year before 30th June of every year to the Sub-Regional Office, MPCB, and uploading the same to MPCB website(<https://www.mpcb.gov.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	100,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
3	Towards Operation and Maintenance of APCD to achieve prescribed emission standards	Continuous	100,000.00
4	To maintain the connectivity of OCEMS to MPCB/CPCB server	Continuous	200,000.00
5	Autoclave validation test by biological indicator strips or vials Geobacillus stearothermophilus spores with at least 1X10 ⁶ spores with frequency of once in 3 months and temperature test by chemical indicator strip or tape with frequency of each batch of waste treated for Autoclave.	Continuous	50,000.00
6	To implement Geofencing of routes , display VTS system on CTF Website, and available access to MPCB and implementation of barcode system	Continuous	100,000.00
1B	Records		
1	To maintain records of BMW and submission of online Annual Report before 30th June.	Continuous	25,000.00
2	To maintain records of recyclable waste handed over to MPCB/ CPCB authorized recycler and hazardous waste disposed at CHWTSDf.	Continuous	25,000.00
3	To maintain record of training imparted to CBWTF staff and HCEs of your jurisdiction	Continuous	100,000.00
Total			8,00,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

