

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/M.S.I (R22)

Date: 13/02/2025

No:- Format1.0/AS(T)/UAN No.MPCB-
CONSENT_AMMENDMENT-0000014200/CO/250200007
2

To,
M/s.SPAK ORGOCHEM (INDIA) PRIVATE LIMITED
(Previously known as M/s.SPAK SURFACTANTS PVT
LTD)
G-2,MIDC LOTE PARSHURAM
KHED,Ratnagiri-Ratnagiri



Sub: Grant of Amendment in consent w.r.t. validity of amalgamated existing consent to operate.

- Ref:**
1. Earlier First consent to operate with amalgamation of existing Consent to operate accorded by the Board vide no. - Format1.0/AS(T)/UAN No.0000192428/CO/2402001549 Date: 20/02/2024
 2. Environmental Clearance granted vide SIA/MH/IND3/71183/2011 Dated 11/07/2022
 3. Amendment in Environmental Clearance granted vide no. 22.08.2023 SIA/MH/IND/297197/2023 Dated 22.08.2023
 4. Earlier amendment in consent vide no. Format1.0/AS(T)/UAN No.MPCBCONSENT_AMMENDMENT-0000014200/CO/2412000025 Date: 10/12/2024

Your application No.MPCB-CONSENT_AMMENDMENT-0000014200 Dated 01.08.2024

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 30/04/2026**
2. **The capital investment of the project is Rs.48.0962 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs.42.66 Crs + Expansion/Increase in C.I. - Rs. 5.43 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	ESTERS, SULPHOSUCCINATE SURFACTANT AND FORMULATIONS, COCO AMIDO PROPYL BETAINE, FORMULATIONS OF ESTERS AND SURFACTANTS	12000	MT/A

Sr No	Product	Maximum Quantity	UOM
2	COCO AMIDO PROPYL BETAINE	6000	MT/A
3	SORBITAN ESTERS (SORBITAN MONO OLEATE / SORBITAN TRI OLEATE /SORBITAN MONO LAURATE/ SORBITAN MONO PALMITATE /SORBITAN MONO STEARATE/SORBITAN TRI STEARATE	1750	MT/A
4	GLYCEROL ESTERS (GLYCEROL MONO STEARATE / GLYCEROL MONO OLEATE /GLYCEROL TRI OLEATE)	800	MT/A
5	POLYOL ESTERS (TMP TRI OLEATE / PENTAERYTHRITOL TETRA OLEATE / NPG DI OLEATE	1150	MT/A
6	GLYCOL ESTERS (ETHYLENE GLYCOL MONO STEARATE / ETHYLENE GLYCOL DI STEARATE / PROPYLENE GLYCOL DI OLEATE)	600	MT/A
7	ETHYL HEXYL {OCTYL} ESTERS (2-ETHYL HEXYL OLEATE / 2-ETHYL HEXYL PA MITATE/ 2-ETHYL HEXYL STEARATE /2-ETHYL HEXYL COCOATE/LAURATE /DI OCTYL MALEATE)	1600	MT/A
8	FOOD EMULSIFIER ESTERS (POLYGLYCEROL POLYRECINOLEATE / POLYGLYCEROL ESTERS/ ESTERS OF DISTILLED MONO GLYCERIDE/ SODIUM/CALCIUM STEAROYL LACTYLATE)	1000	MT/A
9	PHOSPHATE ESTERS	500	MT/A
10	FATTY AMIDES (COCO MONOETHANOL AMIDE/ COCO DIETHANOL AMIDE/ COCO AMANO DIMETHYL PROPYL AMIDE)	2800	MT/A
11	ESTERQUATS (DIHYDROGENATED PALMOYLETHYL HYDROXYETHYLMONIUM METHOSULFATE)	1200	MT/A
12	SULPHOSUCCINATE SURFACTANT (SODIUM DI OCTYL SULPHOSUCCINATE / SODIUM DI AMYL SULPHOSUCCINATE) AND ITS FORMULATIONS (100 % BASIS)	600	MT/A

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	40	As per Schedule -I	Partly recycle 20 CMD & partly CETP 20 CMD
2.	Domestic effluent	12	As per Schedule - I	STP

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	BOILER	1	As per Schedule -II
2	S-1	THERMIC FLUID HEATER (TFH) 15 lakh Kcal/Hr	0	As per Schedule -II
3	S-1	THERMIC FLUID HEATER (TFH) 8 lakh Kcal/Hr	0	As per Schedule -II

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
4	S-2	D.G SET 240 KVA	1	As per Schedule -II
5	S-3	THERMIC FLUID HEATER (TFH) 15 lakh Kcal/Hr	1	As per Schedule -II
6	S-4	D.G SET 400 KVA	1	As per Schedule -II
7	S-5	PROCESS STACK	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	FLY ASH	24	MT/Day	Sale	Sale to Brick Manufacturer
2	BURNT SUGAR	1.2	MT/Day	--	BURN IN BOILER
3	HDPE DRUMS	100	No/D	--	TO AUTHORIZED RECYCLER/ REPROCESSOR

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	10	MT/M	Recycle*	Sale to authorised party / CHWTSDF
2	35.3 Chemical sludge from waste water treatment	34	MT/M	Landfill	CHWTSDF
3	37.3 Concentration or evaporation residues	4	MT/M	Incineration	CHWTSDF

Industry shall ensure disposal of Hazardous Waste to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016

8. **Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Plastic Bags	800.00	No/D	Sale to authorized party

9. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
10. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
11. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
12. This consent is issued with overriding effect on Earlier Earlier amendment in consent vide no. Format1.0/AS(T)/UAN No. MPCBCONSENT_ AMMENDMENT -0000014200/CO/2412000025 Date: 10/12/2024.

13. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
14. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDf, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 and keep proper manifest thereof.
15. The applicant shall comply with the conditions of the Environmental Clearance granted vide SIA/MH/IND3/71183/2011 dated 11.07.2022 and Amendment in Environmental Clearance granted vide no. 22.08.2023 SIA/MH/IND/297197/2023 dated 22.08.2023 for partly recycling and partly disposal of treated industrial effluent to CETP.
16. Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .
17. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23.12.2020.
18. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
19. Industry shall amend the EC with change in name.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2401005165	25/01/2024	Online Payment
2	25000.00	TXN2402003623	16/02/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Chiplun
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
- i) Strong COD/TDS stream of 20 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank, Primary after stmt) , Multi effect evaporator followed by Sludge treatment.
- ii) Weak COD/TDS stream of 20 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Sludge treatment (Sludge drying bed) .
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	100
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	TAN	10

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The 20 CMD treated effluent shall be recycled for secondary purposes to the maximum extent and remaining 20 CMD shall be discharged TO CETP after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 15 CMD for the treatment of 12 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	174.00
2.	Domestic purpose	16.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	95.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	27

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	BOILER (Combined stack)	Fabric Bag Filter Multi Cyclone	30.50	COAL 30.72 Ton/D	0.5	SO2	327.20 Kg/Day
				BRIQUETTE 34.92 Ton/D	0.06	TPM	150 Mg/Nm ³
						SO2	41.90 Kg/Day
S-1	THERMIC FLUID HEATER (TFH)(Combined stack)	Fabric Bag Filter Multi Cyclone	30.50	COAL 30.72 Ton/D	0.06	TPM	150 Mg/Nm ³
				BRIQUETTE 34.92 Ton/D	0.5	SO2	327.20 Kg/Day
						-	SO2
S-1	THERMIC FLUID HEATER (TFH)(Combined stack)	Fabric Bag Filter Multi Cyclone	30.50	PNG 3700 SCM/Day	-	NOx	50 PPM
S-2	D.G SET	Acoustic Enclosure	6.00	HSD 100 Ltr/Hr	1.0	TPM	150 Mg/Nm ³
						SO2	48 Kg/Day
S-3	THERMIC FLUID HEATER (TFH)	Fabric Bag Filter Multi Cyclone	18.50	COAL 13 Ton/D	0.06	TPM	150 Mg/Nm ³
				PNG 3700 SCM/Day		SO2	130 Kg/Day
					BRIQUETTE 14 Ton/D	-	NOx
				TPM			150 Mg/Nm ³
				SO2			16.8 Kg/Day
S-4	D.G SET	Acoustic Enclosure	6.00	HSD 60 --NA--	1.0	TPM	150 Mg/Nm ³
						SO2	28.8 Kg/Day
S-5	PROCESS STACK	Stack	7.00	-	-	Acid Mist	35 Mg/Nm ³

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	2,00,000/-	Existing to be extended	Towards O&M Of APCS	Continuous	31.07.2025
2	C to E	5,00,000/-	Existing to be extended	Towards compliance of consent conditions	Continuous	31.07.2025

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.


Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						


BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV
General Conditions:

1. The waste generator shall.-
 - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
 - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.
5. The Energy source for lighting purpose shall preferably be LED based
6. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
7. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
8. The applicant shall maintain good housekeeping.



9. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
10. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
11. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
12. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
13. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
14. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
15. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
16. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
17. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
18. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
19. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
20. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
21. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
22. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

23. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
24. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
25. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
26. The industry should not cause any nuisance in surrounding area.
27. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
28. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
29. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
30. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
31. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
32. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
33. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
34. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
35. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.

36. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
37. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
38. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
39. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
40. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
41. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.

